

110/110_B

Buckets & Attachments	A
Body & Framework	B
Electrics — Machine	C
Controls	D
Hydraulics	E
Transmission	F
Brakes	G
Track & Running Gear	J



End of Section A



Change List

2200M

ISSUE 7*

The following frames have changed in content, or are new in comparison with the preceding issue of this fiche.

Page	Text	Illustration	Page	Text	Illustration
B3-1			E Index	*	
Frame 3	*		E2-1	*	
B6-1	*		E5-2	*	
Frame 3	*		E6-3	*	
B8-1	*		E6-5	*	
B9-1	*		E8-3	*	*
B10-1	*		E9-1	*	
C1-1	*		E14-1	*	
C1-2	*		E15-1	*	
C2-1	*		Frame 2	*	
C4-1	*		E16-1	*	
C4-2	*		E16-2	*	
C4-3	*		E100-2	*	
C5-1	*		F1-1	*	
D1-1	*		F2-1	*	
D2-1	*		F2-2	*	
D4-1	*		F3-1	*	
Frame 2	*		J1-1	*	
D4-2	*		J2-1	*	
			J4-1	*	
			J4-2	*	

A

Page A1-1 to A4-1

Buckets & Attachments

A

Body & Framework

B

Electrics — Machine

C

Controls

D

Hydraulics

E

Transmission


F

Brakes

G


Track & Running Gear

J



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
1	270/13000 521/01100	No./Con.	Bucket	78in. Wide	1
2	270/13002	:Toe Plate	1
3	510/10616	:Side Cutter	1
4	510/10605	:Side Cutter	1
5	270/13011	:Runner	1
6	270/13009	:Runner	1
7	270/13008	:Runner	2
8	270/13004	:Runner	2
9	510/10302	Tooth	9
10	990/15900	Bolt and Nut	As Reqd.
11	251/00202	Buffer	2
12	1305/3208	Bolt	4
13	1340/0203	Nut	4
14	270/00417	Spacer	As Reqd.

2256A 2256A




ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
1	521/01800	Bucket-110	1.25 yd ³	1
1A	521/05500 521/05300	M80353	Bucket-110B	1.5yd ³	1
2	521/01805 521/05304	M80353	:Toe Plate	1
3	521/01804 521/05305	M80353	:Toe Plate	1
4	510/50901	:Side Cutter	1
5	510/50904	:Side Cutter	1
6	521/02505 521/05311	M80353	:Runner	4
7	521/01809 521/50908	M80353	:Runner	Correction was 510/01809	2
8	544/21003 256/59801	Superseded	Tooth	As Reqd.
9	1305/3618	Bolt	As Reqd.
10	1340/0601	Nut	As Reqd.
11	1416/0010	Washer	As Reqd.
12	251/00202	Buffer	2
13	1305/0207	Bolt	4
14	270/00416 270/00417	Spacer Spacer	6mm. Thick 3mm. Thick	As Reqd. As Reqd.

2960B_060B



A 2-1 6 IN 1 CLAM SHOVEL

ISSUE 4



Item	Part No.	Up to m/c No.	Description	Remarks	Qty.		
					m/c	Assy.	
1	990/21500	Bucket	1	G
2	521/00100	:Blade	1	G
3	521/00108	::Toe Plate	1	B
4	521/00400	:Clam	1	G
4A	531/06004	::Pivot Casting	2	
5	521/00405 270/13002	M80067	::Toe Plate	521/00405 N/A Use 270/13002 with 510/10302 and 990/15900	1	G
	521/00040	::Side Cutter	Not Illustrated	2	G
6/7	1209/0006 1209/0003 1209/0026		Superseded	::Bush	2	A
8	1021/3821	:Pivot Pin	2	A
9	1450/0001	:Grease Nipple	2	D
10	1305/3236	:Bolt	2	D
11	1340/0203	:Nut	2	D
12	537/00802 510/10302	M80067	:Tooth	9	A
13	990/14800 990/15900	M80067	:Bolt and Nut	18	A
14	See Index E	:Clam Ram	2	G
15	1017/2032	:Pivot Pin	2	A
16	1305/3222	:Bolt	2	D
17	1340/0203	:Nut	4	D
18	1017/2006	:Pivot Pin	2	A
19	1305/3228 1305/3226	Superseded	:Bolt	2	D
20	251/00202	:Buffer	2	B
21	1305/3208 1305/0208	Superseded	:Bolt	4	D
22	1340/0203	:Nut	4	D
23	270/00416	:Spacer 1/4in.	As Req'd.	E
	270/00417	:Spacer 1/8in.	Not Illustrated	As Req'd.	E


2257B

9802/2200



A 2-2 6 IN 1 BUCKET


ISSUE 4




Item	Part No.	Up to m/c No.	Description	Remarks	Qty.
1	521/02300 521/04900	M80319	6 in 1 Bucket		m/c Assy. 1
2	521/02500		:Blade		1
3	521/02304 521/04901	M80319	:Toe Plate		1
4	521/02303 521/04902	M80319	:Side Plate		2
5	826/00235		:Plough Bolt	Correction was 806/00235.	12
6	1411/0008		:Washer		12
7	1340/0701		:Nut		12
8	521/02400 521/05000 531/06004	M80319	:Clam		1
8A	521/02407 521/05005	M80319	::Pivot Casting ::Toe Plate—Front		2 1
9	521/02408 521/05006	M80319	::Toe Plate—Rear		1
10	521/02401 521/02402		::Side Cutter R.H. ::Side Cutter L.H.		1 1
11	1209/0026		::Bush		2
12	1021/3821 1021/3823		:Pivot Pin	9 3/8 in. Long 10 1/4 in. Long	2
13	1450/0001		:Grease Nipple		2
14	1305/3236 1305/3436		:Bolt	3/8 in. dia. 1/2 in. dia.	2
15	1340/0203 1340/0403		:Nut	3/8 in. 1/2 in.	2
16	521/02301 521/02305 521/02306	Superseded Superseded	:Tooth		9
17	990/15900		:Bolt and Nut		18
18	See Index E		:Clam Ram		2
19	1017/2032		:Pivot Pin		2
20	1305/3222		:Bolt		2
21	1340/0203		:Nut		4
22	1017/2006		:Pivot Pin		2
23	1305/3226		:Bolt		2
24	251/00202		:Buffer		2

2913B


9802/2200






Item	Part No.	Up to m/c No.	Description	Remarks	Qty.
					m/c Assy.
25	1305/0207 :Bolt 4
26	1340/0203 Deleted :Nut 4
27	520/06601 Skid Plate 4
28	826/00235 Plough Bolt 8
29	1340/0703 Nut 8
30	270/00416 Spacer	6mm. Thick As Reqd.
	270/00417 Spacer	3mm. Thick As Reqd.




ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
1	521/07900	6 in 1 Bucket	1
2	521/08200	:Blade	1
3	521/07901	:Toe Plate	1
4	521/02303	:Toe Plate	2
5	826/00235	:Plough Bolt	12
6	1340/0701	:Nut	12
7	521/08700	:Clam	1
8	521/08701	::Clam Pivot	2
9	521/08711	::Toe Plate	Front	1
10	521/08705	::Toe Plate	Rear	1
11	521/02401	::Side Cutter	R.H.	1
12	521/02402	::Side Cutter	L.H.	1
13	808/00144	::Bush	2
14	1021/3827	:Pivot Pin	2
15	1450/0001	:Grease Nipple	2
16	813/00151	: 'O' Ring	4
17	1305/3436	:Bolt	2
18	1340/0403	:Nut	2
19	521/02306	:Tooth	8
20	990/15900	:Bolt and Nut	16
21	See Index E	:Clam Ram	2
22	1019/2043	:Pivot Pin	2
23	813/00152	: 'O' Ring	4
24	1305/3222	:Bolt	2
25	1340/0203	:Nut	2
26	1019/2013	:Pivot Pin	2



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
27	813/00152	:O' Ring	8
28	1305/3230	:Bolt	2
29	1340/0203	:Nut	2
30	251/00202	:Buffer	2
31	1305/0207	:Bolt	4
32	270/00417	:Spacer	8





Item	Part No.	Up to m/c No.	Description	Remarks	Qty.	
					m/c	Assy.
1	520/0000 520/05900	M80120	Ripper Attachment		1	G
2A	520/02300 520/05901	M80120	:Bracket		1	F
2B	520/02400 520/05902	M80120	:Bracket		1	F
3	1025/2001 520/00006	Superseded	:Pivot Pin		2	B
4	1305/3932 1305/3938	M80120	:Bolt		2	D
5	1340/0903		:Nut		2	D
6	520/00001		:Link		2	B
7	809/00028		:Bush		2	B
8	809/00027		:Bush		6	B
9	809/00029		:Bush	Correction, was 2 off	4	B
10	1025/3804 1025/3815	M80120	:Pivot Pin		2	B
11	1305/3431		:Bolt		4	D
12	1340/0403		:Nut		4	D
13	520/01200 520/06200	M80120	:Bottom Link		1	B
14	520/02500 520/05800	M80120	:Frame		1	F
15	1021/3810		:Pivot Pin		6	B
16	1305/3430		:Bolt		6	D
17	1340/0403		:Nut		6	D
18	G15/0 1450/0001	No./Con.	:Grease Nipple		8	D
19	520/00005		:Tooth Shank		As Req.	A
20	520/00002		:Tooth		As Req.	A
21	520/00003		:Pin		As Req.	A
22	911/05500 520/06300	M80120	:Pin		As Req.	A
23	1305/3010 530/14001	M80120	Bolt Clip		As Req.	D



Item	Part No.	Up to m/c No.	Description	Remarks	Qty.
24	1340/0003 Deleted	M80120	:Nut		m/c Assy. As Reqd. D
25	See Index E		:Ripper Ram		1 C
26	1019/2056		:Pivot Pin	Correction, was 1019/2055	1 B
27	1305/3234		:Bolt		1 D
28	1340/0203		:Nut		1 D
29	1019/2024		Pivot Pin		1 B
30	1305/3424 1305/3426	M80120	Bolt		1 D
31	1340/0403		Nut		1 D

A 4-1



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
1	520/08900	Drawbar 1
2	520/08800	:Towing Pin 1
3	1025/2001	Pivot Pin 2
4	809/00029	Bush 2
5	1305/3932	Bolt 2
6	1305/3432	Bolt 2
7	1340/0903	Nut 2
8	1340/0404	Nut 2

B

Page B 1-1 to B 3-2

**Buckets &
Attachments**

A

**Body &
Framework**

B

**Electrics —
Machine**

C

Controls

D

Hydraulics

E

Transmission





F

Brakes


G

**Track &
Running Gear**


J




Item	Part No.	Up to m/c No.	Description	Remarks	Qty.	
					m/c	Assy.
1	270/11300 270/33500 270/60900	M80120 M80402 Chassis	1
2A	270/15500 270/44700	M80120 :Fuel Tank	1
2B	270/15600 270/44800	M80120 :Fuel Tank	1
3	270/11101 270/11144 N.S.P.	Superseded M80120 :Pivot Casting	Bucket Ram	1
4	270/02700	M80120 :Grille	See item 11	1
5	270/05700 270/27100 270/42100	Superseded M80120 Loader Arms	1
6	270/05704 N.S.P.	M80006 :Pivot Boss	Lift Ram Pivot	4
7	270/05706 829/00046	M80120 :Pivot Boss	Bucket and Arm Pivot	4
8	1089/0018 Pivot Boss	N/A Use 270/28301	1
9	1088/0019 Pivot Boss	N/A Use 270/28301	1
10	270/28301 270/33401	Superseded Mounting Bracket	1
11	270/47300	From M80121	Grille Assembly	1



Item	Part No.	Up to m/c No.	Description	Remarks	Qty.	m/c	Assy.
1	See Page B 1-1	Chassis	1		
2	270/12900	Bonnet	1		
3	270/12901	Hinge	1		
4	270/00214 N.S.P.	Striker Pin	1		
5	270/00208	Plate	1		
6	270/00213	Catch	1		
7	G96/19	Screw	Correction was G69/19	3		
8	270/00209	Boss	1		
9	270/00212	*Piston Damper	2		
10	270/17600	Stay	1		
11	270/17700	Pivot Pin	4		
12	1411/0003	Washer	3		
13	G3/10 2103/0507	Superseded	*Split Pin	4		D
14	270/18000	Cross Member	1		E
15	See Page B 7-1	Seal Shell	1		E
16A	270/00218	Cover	1		E
16B	270/00219	Cover	1		E
17	1305/0003	Bolt	6		D
18	1416/0004	Washer	6		D
19	1411/0001	Washer	6		D
20	1305/0206	Bolt	6		D
21	1411/0003	Washer	6		D
22	270/00235	Floor Plate	1		E
23	270/00216	Cover	1		E
24	910/06200	Bonnet Release	1		B
25	1358/0202	Nut	2		D
26	270/00112	Baffle Plate	1		E
27	1305/3208 1305/0203	Superseded	Bolt	4		D
28	1340/0203	Nut	4		D




Item	Part No.	Up to m/c No.	Description	Remarks	Qty.	
					m/c	Assy.
29	1411/0003	Washer	4
30	270/00234	Cover	1
31	270/02205	Cover	1
32	1305/0206	Bolt	4
33	1411/0003	Washer	4
34	826/00053	Screw	14
35	270/00238	Mounting Plate	Bonnet Release Not Illustrated	1
36	1340/0003	Nut	Not Illustrated	1
37	824/50001 G45/6 824/50017	Superseded	*Beading	Bonnet Not Illustrated	2
38	270/00246	M80078 on	Cover	1
39	1340/0203	M80078 on	Nut	2
40	1413/0003	M80078 on	Washer	2
41	270/00244	Floor Mat	1
42	1305/0004	Bolt—Hinge to Chassis	Not Illustrated	7
43	1340/0003	Nut—Hinge to Chassis	Not Illustrated	7




Item	Part No.	Up to m/c No.	Description	Remarks	Qty.		
					m/c	Assy.	
1	See Page B 1-1	Chassis	1
2	270/47800 270/56900 270/62800 270/71200	M80221 Superseded M80457	Bonnet	1
3	270/00212	Piston Damper	2
4	270/17600	Stay	1
5	270/17700	Pivot Pin	4
6	1411/0003	Washer	3
7	G3/10 2103/0507	No./Con.	Split Pin	4
8	270/35300	Cross Member	1
9	See Page B 7-1	Seat Shell	1
10A	270/00252	Cover	1
10B	270/00251	Cover	1
11	1305/0003	Bolt	6
12	1416/0004	Washer	6
13	1411/0001	Washer	6
14	1305/0206	Bolt	6
15	1411/0003	Washer	6
16	270/00255	Floor Plate	1
17	270/00258	Cover	1
18	270/44900	Cover	Correction Was 270/35100	1
19	270/02205	Cover	1
20	1305/0206 G96/17	Correction	Bolt Countersunk Screw	4
21	1411/0003 Deleted	Correction	Washer	4
22	826/00053	Screw	14
23	G45/6 824/50017	Superseded	*Beading-Bonnet	2
24	270/00246 270/00246	M80398	Cover	1 2
25	1340/0203	M80398	Nut	2 4
26	1413/0003	M80398	Washer	2 4
27	256/19400	Bonnet Latch	2
28	206/66300 204/56400	Superseded	Lock & Key	2

2914B




2914B

ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
29	106/65906	:Key—For 206/66300—FS938	1
	106/14503	:Key—For 204/56400—92343	1
30	1370/0003	*Nut	Correction was 1360/0003	8
31	1411/0001	Washer	8
	Deleted				
32	270/00248	Cover	1
33	270/00253	Clamp Plate	2
34	826/00242	Screw	6
35	823/00096	Washer	6
36	270/47200	Air Ducting	1
37	270/47600	Air Duct	1
38	270/40202	Floormat	Was 270/00256	1
39	824/50021	Oil Sight Surround	1
40	824/50020	Sealing Strip	1
41	824/50019	Sealing Strip	1
42	1305/0103	Bolt	4
43	1340/0103	Nut	4
44	824/50012	Sealing Strip	79in. Long	As Req'd.
45	1340/0203	Nut	4
46	1411/0003	Washer	4
47	200/77101 270/63503	M80479	Rubber Mounting	2
48	1340/0203	Nut	4
49	1411/0003	Washer	4
50	270/40205	Cover—Stop Control	1
51	1430/0302	Self Tapping Screw	2
52	826/00269	Locknut	2



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
53	1414/0011	Washer	2
54	1305/0003	Bolt	3
55	1412/0001	Washer	3
56	1340/0003	Nut	3
57	926/00501	Sealer Strip	Replaces item 32/33	2
58	1430/0302	Self Tapping Screw	6
59	270/12901 270/40701	Bonnet Hinge	Metal Bonnet Fibre Glass	1 1
60	1305/0005	Bolt	11
61	1305/0004 1305/0003	Bolt Bolt	Fibre Glass Bonnet	7 11
62	1340/0003	Nut	7 off with Metal Bonnet	11
63	1412/0001	Washer	11
64	1416/0004	Spring Washer	11
65	1411/0001	Washer	22
66	270/63502	M80479 on	Bracket	2
67	1305/3210	M80479 on	Bolt	2
68	1411/0003	M80479 on	Washer	2
69	1412/0003	M80479 on	Washer	2
70	1340/0103	M80479 on	Nut	2

2914B




Item	Part No.	Up to m/c No.	Description	Remarks	Qty.
1	See Page B 1-1	Chassis	1
2	270/00220		Strap	2
3	200/60400		Filler Cap—Fuel	2
4	200/60302	Deleted at M80121	:Element	1
5	200/60303	Use item 70	:Sealing Ring	1
6	200/60203		Strainer	2
7	270/00222 104/72806	Superseded	Padlock	2
8	270/15700 270/30500 270/60600	Cover	N/A Use 270/30500 with 32/500300 or 32/500700	2
9	270/00215	Gasket	2
10	1305/0206	Bolt	8
11	1416/0006	Washer	8
12	1411/0003	Washer	8
13	270/00221	To M80005	Filler Cap—Hydraulic	See Item 56	1
14	1406/0035	To M80005	Bonded Seal	1
15	206/19600 206/34500 32/500500	M80005 Superseded	* Relief Valve	N/A Use 206/34500 with 816/00340	1
16	2401/0104	To M80005	'O' Ring	1
17	816/00169 Deleted	To M80005	Adapter	1
18	1406/0011 Deleted	To M80005	Bonded Seal	1
19	106/73701	Strainer	1
	990/00045	:Seal	1
20	270/00223 270/00260	M80120	Gasket	1
21	270/00224 270/00259	M80120	Cover	1
22	1340/0404	Nut	6
23	1411/0005	Washer	6
24	647/00300	Pipe	7½in. Long	1




B 3-1 CHASSIS COVER PLATES

ISSUE 1




ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
78	270/49600	Ducting	1
79	1305/0206	Bolt	4


† Applies to 32/900100 Assembly
 † Applies to 32/500700 Assembly
 †† Applies to 32/900200 Assembly.



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY
1	See Page B 1-1	Chassis	m/c Assy 1
2	32/900200	Filler Assembly	Fuel 2
3	N.S.P.	:Element	Was 32/900203 1
4	N.S.P.	:Gasket	Was 32/900204 1
5	32/900103	:Gasket 2
6	N.S.P.	:Strainer	Was 32/900104 1
7	32/900105	:Screw 6
8	813/00128	:Seal 6
9	32/900100	Filler Assembly	Hydraulic 1
10	N.S.P.	:Gasket	Was 32/900204 1
11	32/900103	:Gasket 2
12	N.S.P.	:Strainer	Was 32/900104 1
13	32/900105	:Screw 6
14	813/00128	:Seal 6
15	104/72806	Padlock 3
16	270/60600	Cover 2
17	270/00215	Gasket 2
18	1305/0206	Bolt 8
19	1416/0006	Spring Washer 8
20	1411/0003	Washer 8
21	106/73701 990/00045	Filter :Seal 1 1
22	270/00259	Cover 1
23	270/00260	Gasket 1
24	1340/0403	Nut 6
25	1411/0005	Washer 6
26	G8/0	Drain Plug 4




ITEM	PART No.	UP TO	M/C No.	DESCRIPTION	REMARKS	QTY.
						m/c Assy.
27	1403/0004	Washer	3
28	270/14600	Pipe	1
29	270/40201	Hose	2
30	2201/0009	Clip	8
31	647/00313	Sight Gauge	1
32	G34/4	Clip	2
33	270/64800	Lift Ram Cover L.H.	1
34	270/65000	Hose Cover L.H.	1
35	270/64501	Plate	2
36	826/00023	Screw	16
37	826/00021	Nut	16
38	1305/0003	Bolt	4
39	1414/0011	Washer	16
40	1411/0001	Washer	4
41	270/64700	Lift Ram Cover R.H.	1
42	270/64900	Hose Cover	1
43	270/63000 270/77600	M 80500		Side Plate R.H.	1
44	270/63100 270/77700	M 80500		Side Plate L.H.	1
45	270/65901 270/77800	M 80500		End Plate	1
46	270/63200 270/77900	M 80500		Base Plate	1
47	1305/0406 1305/0406	M 80500		Bolt	5 7
48	1305/0410 1305/0410	M 80500		Bolt	8 14
49	1411/0005 1411/0005	M 80500		Washer	8 16



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
50	1416/0008 1416/0008	M80500	Spring Washer	13 21
51	270/45501	Trunnion Cover	2
52	1305/0408	Bolt	6
53	1411/0005	Washer	6
54	201/20610	Plug	4
55	270/00205	Towing Lug	1
56	911/05400	Pin	1
57	1019/2024	Pivot Pin	1
58	1305/3246	Bolt	1
59	1340/0403	Nut	1
60	1406/0018	Bonded Seal	1

Section B


Page B4-1 to B8-1



Item	Part No.	Up to m/c No.	Description	Remarks	Qty.
1	270/04909 270/32800 270/53300	M80120	Guard Correction was 270/32801	2
2	270/04910 270/32900 270/53200	M80120	Guard Correction was 270/32901	2
3	1305/2108	Bolt	12
4	270/05200 520/05600	M80120	Guard-Outer	2
5	1305/2106 1305/0406	Bolt	4
6	826/00033 270/28200	Superseded	Tie Rod	12
7	270/04905	Spacer	10
8	1340/0703 1340/0703	Superseded	Nut	24
9	1305/3411 1305/3412 1305/0406	Superseded	Bolt	20
10	1340/0203	Nut	20
11	270/04903 270/25200 270/04914	Superseded	Guard	1
12	270/04904 270/25100 270/04915	Superseded	Guard	1
13	1305/2108 1305/0608 1305/3614	M80010 M80120	Bolt Correction was 1305/0610	8
14	270/04911 270/40903	M80120	Cover	2
15	1305/2106 1305/0207	M80120	Bolt	4
16	270/04912 270/50904	M80220	Wear Strip	4
17	1305/3414 1305/0408	M80120	Bolt	12
18	1416/0008	Spring Washer	12
19	270/04906 Deleted	M80299	Clamp	2
20	1305/3614	Bolt	4



B 4-1 TRACK GUARDS



ITEM	PART No.	UP TO M/C No.	DESCRIPTION	REMARKS	QTY.
					m/c Assy.
21A	270/24500	M8007	Cover	1
21B	270/24400 See Item 28B	M8007	Cover	1
22	1305/0616 Deleted	M80007	Bolt	8
23	1411/0007 Deleted	M80007	Washer	8
24A	270/24600 Deleted	M80007	Cover	2
24B	270/24700 Deleted	M80007	Cover	2
25	1305/0606	Bolt	20
26	1416/0010	Washer	20
27	270/05200 270/27700 520/05700	Superseded M80120	Guard	Inner	2
28A	270/26700	Cover R.H.	Outer	1
	270/26800	Cover R.H.	Inner	1
28B	270/26600	Cover L.H.	Outer	1
	270/26900	Cover L.H.	Inner	1
29	1305/0204	Bolt	4
30	270/32502 270/35800 270/40902 270/52800	Superseded M80120 Superseded	Cover	2
31	1305/0606	Bolt	12
32	270/43000	Recoil Mounting Pad	Outer	2
33	270/43001 270/50906	Superseded	Recoil Mounting Pad	Inner	2
34	270/40901	M80121 on	Spacer-Recoil Mounting	Correction was 270/04901	2
35	1305/3620	M80121 on	Bolt	2
36	1305/0608	Bolt	8