

1. このパーツカタログに記載されている部品は、必ずしも標準装備部品ではありません。
2. 部品変更は、予告なく行うことがあります。
3. パーツカタログリスト様式

Y00F2161 (1997.09.01)

Fig. 29 燃料噴射ポンプ(ブーコン用) FUEL INJECTION PUMP (W/BOOST)

A= 4JH-DT	D= 4JH-DTZA
B= 4JH-DTZ	E= 4JH-DTZY
C= 4JH-DTZP	F=

見 出 REF.No.	レベル LEV.	部品番号 PARTS No.	部 品 名	DESCRIPTION	個 数 (Q'ty)						備 考
					A	B	C	D	E	F	
1	•	729595-51390	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	1
1-1	•	729595-51391	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	1
3	••	(A=E/#00185) (B=E/#00200)									
3	••	26022-060162	ナベネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9		
1 3-1	••	26022-060162	ナベネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4		K
4	••	(A=E/#00185) (B=E/#00200) (C=E/#00156) (D=E/#00156) (E=E/#00156)	カムシャフト	CAMSHAFT	1	1	1	1	1		
5	••	122710-51050	ベアリング*ローラ	BEARING, ROLLER	2	2	2	2	2		
6	••	129470-51060	ベアリング*ホルダ	RETAINER	1	1	1	1	1		

備 考

(1) ブーストコンベンサータ付き、4JH-DT、4JH-DTZとも
E/# 00155 までは、特別注文仕様とします

Remarks

(1) BOOST COMPENSATOR TYPE.
OPTIONAL PART, TO E/# 00155,
(4JH - DT, 4JH - DTZ)

- ① 見出No.(REF.No.)
リスト頁の見出No.とイラスト図番の末尾が一致しない場合があります。
(例) イラスト図番 リスト頁の見出No.
1 1 (変更前) → 1-1 (変更後)
互換性記号 N、R、K の場合は新部品のイラストを省略している場合があります。
- ② レベル (LEV.)
レベル
• ……表示している • 印の数をレベルと呼び親子の関係を示します。(•は親部品です)
•• ……は • に含まれる子部品です。
••• ……は •• に含まれる子部品 (•から見れば孫部品) です。
注) 非販売部品のイラストは一部展開しておりますが、リストには記載しておりません。
- ③ 変 更 マ ー ク
前回出版したパーツカタログには無く、今回新規に設計変更が発生した部品について " I " 印が表示されます。
- ④ 互 換 性 区 分
部分変更が行われた場合、その部品に対して下記の互換性記号が表示されます。

記号	互換性	内 容
N	旧 → 新	新部品は、旧部品に対して互換性有り、その逆は無し。
Q	旧 → 新	新部品は、旧部品に対して互換性無し、その逆は有り。
R	旧 ↔ 新	新・旧部品双方に対して互換性有り。
S	旧 → 新	新・旧部品双方に対して互換性無し。
W		新規追加となった部品。
Z		廃止された部品。
F		単品では、互換性無し。但し関連部品セットにて互換性有り。
K		使用個数のみの変更。

- ⑤ 実 施 号 機
部品が変更された時には、適用される商品形式の実施号機が (A) ~ (F) 欄毎に表示されます。
- | 商品記号 | 商 品 No. | 商品記号 | 商 品 No. |
|------|---------------------|------|----------|
| C | クラッチ No. コンプレッサ No. | M | 本機 No. |
| D | ドライブ No. | T | トラクタ No. |
| E | エンジン No. | 注1)※ | 西暦年月 |
- 注1) 記号の後の西暦年月を記載している事もあります。(例) ※ 1996. 01
注2) 実施号機が ××× は、部品変更の予告又は、実施号機が確定できなかった部品です。
注3) (A=E/#00185) は、A欄の商品形式 (=4JH-DT) の部品変更実施号機は、E/# (=エンジンNo.) が 00185 号機以降であることを示します。

- ⑥ 備考(リマークス)区分
R …… 欄に数字又は、英字 (記号) を表示してあります。
リスト下段に上記の記号を同一記号を表記して当該部品に対するコメント(備考)を表示しています。

How to read this Parts Catalog.

1. Parts mentioned in this Parts Catalog may not necessarily be standard equipping parts.
2. Parts change may be made without prior notice.
3. Form of this Parts Catalog.

Y00F2161 (1997.09.01)

Fig. 29 燃料噴射ポンプ(ブーコン用)
FUEL INJECTION PUMP (W/BOOST)

見出し REF. No.	レベル LEV.	部品番号 PARTS No.	部品名	DESCRIPTION	個数 (Qty)							備考
					A	B	C	D	E	F		
1	•	729595-51390	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	1	1
1-1	•	729595-51391	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	1	1
3	••	(A=E/#00185) (B=E/#00200)										
3-1	••	26022-060162	ナベコネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9	9	9	9
	••	26022-060162	ナベコネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4	4	4	4
4	••	(A=E/#00185) (B=E/#00200) (C=E/#00156) (D=E/#00156) (E=E/#00156)										
4	••	129470-51040	カムシャフト	CAMSHAFT	1	1	1	1	1	1	1	1
5	••	122710-51050	ベアリングローラ	BEARING, ROLLER	2	2	2	2	2	2	2	2
6	••	129470-51060	ベアリングオシ	RETAINER	1	1	1	1	1	1	1	1
備考 (1) ブーストコンペンサータ付き、4JH-DT、4JH-DTZとも E/# 00155 までは、特別注文仕様とします					Remarks (1) BOOST COMPEMSATOR TYPE. OPTIONAL PART, TO E/# 00155. (4JH - DT, 4JH - DTZ)							

① Ref. No.

The Ref. No. in the list may not be accord with the Ref. No. on illustration.

(Ex.) Illustration No.

List head No.

1

1

(Befor change)

→

1

1

(After change)

When interchangeable symbol N, R, and K, illustrations for new parts are sometimes omitted.

② Lev. (Level)

Indication and Meaning of Level

Level : Hereunder is given the relation among the number of dots (•), the level and the nominal parent-child relationship.

• Parent parts (Assembly parts)

•• Child parts included in "•" (Semi- Assembly parts, component parts of Assembly parts.)

••• Child parts included in "••", Grand-child parts in terms of "•".

(Component parts of Semi- Assembly parts.)

Note) A parts of non-sale parts are illustrated but not listed.

③ Change Mark

Change Mark "I" is given to the part for which a design change was made at this time.

The design change was not shown in the last published Parts Catalog.

④ Interchangeability Mark

In the case where a part change took place, one of the following interchangeability marks is indicated for that part.

Symbol	interchangeability	Contents note
N	Old New	New Part is interchangeable for Old Part but not interchangeable conversely.
Q	Old New	New Part is not interchangeable for Old Part but interchangeable conversely.
R	Old New	New Part is interchangeable for Old Part and vice versa.
S	Old New	New Part is not interchangeable for Old Part and vice versa.
W		Part newly added.
Z		Part discontinued.
F		Not interchangeable single part but interchangeable by set of the related parts.
K		Changed only in quantity used.

⑤ Effective Machine No.

When a part is changed, Effective Machine No. of a Model for which the part is applicable is indication in each column of (A) - (F).

Product Symbol	Product No.	Product Symbol	Product No.
C	Clutch No. Compressor No.	M	Machine No.
D	Drive No.	T	Tractor No.
E	Engine No.	Note1) ※	Date

Note1) Date may follow the symbol in some cases. (Ex.) ※ 1996.01

Note2) As far as engine models shown by "XXX" are concerned, the modification of the parts could not be predicted or the engine models themselves could not be identified.

Note3) (A=E/#00185) means that the design change on the part has been effective for the model at the column (A) (in this case, for 4JH-DT) on and from E/# (Engine Serial Number) 00185.

⑥ Remarks Mark


Figures or alphabets (Symbols) are entered in the remark column.

The comments (remarks) on the pertinent parts are indicated in the lower part of the list by the same symbols as those stated above.

NAME	PAGE
CYLINDER BLOCK	Fig. 1
GEAR HOUSING	Fig. 2
FLYWHEEL HOUSING & OIL SUMP	Fig. 3
CYLINDER HEAD & BONNET	Fig. 4
SUCTION MANIFOLD & AIR CLEANER	Fig. 5
EXHAUST MANIFOLD & SILENCER	Fig. 6
CAMSHAFT & DRIVING GEAR	Fig. 7
CRANKSHAFT & PISTON	Fig. 8
LUB. OIL SYSTEM	Fig. 9
COOLING WATER SYSTEM	Fig. 10
FUEL INJECTION PUMP	Fig. 11
GOVERNOR	Fig. 12
FUEL INJECTION VALVE	Fig. 13
FUEL LINE	Fig. 14
STARTING MOTOR	Fig. 15
GENERATOR	Fig. 16
GASKET SET	Fig. 17

Y00D6840
3TNE88-(E) TB (1)


1 シリンダブロック
CYLINDER BLOCK



見出 REF NO.	部品番号 PARTS NO.	部品名 Description	シリンダブロック CYLINDER BLOCK		数量 Q'ty	互換性		備考
						I	R	
1	729001-01560	シリンダブロックASSY	BLOCK ASSY, CYLINDER		1			
5	124160-01910	・プラグ PT1/4	・ PLUG PT1/4		3			
6	171051-01921	・プラグ NPTF1	・ PLUG		1			
7	129150-02020	・ボルト(メタルキャップ)	・ BOLT, METAL CAP		8			
10	23871-010000	・ネジプラグ PT1/8	・ PLUG PT1/8, SCREW		1			
11	27231-500000	・プラグ 50	・ PLUG 50		1			
12	27241-120000	・プラグ 12	・ PLUG 12		2			
13	27241-300000	・プラグ 30	・ PLUG 30		6			
14	129795-02411	・ブッシュ(A)	・ BUSH, CAMSHAFT		1			
15	129001-02800	・メインメタル CMP	・ MAIN BEARING		4			
24	129150-02930	・スラストメタル	・ METAL, THRUST		2			
27	129150-01200	ヘッドボルト	STUD, CYL. HEAD		14			
28	129001-01340	ヘッドガスケット(ノンASB)	GASKET, (NON-ASB.)		1			
29	129150-02940	スラストメタル O.S=0.25	METAL, THRUST OS=0.25		2			(1) オーバ-サイズ (O.S=0.25) プリンテス
32	129150-02870	メインメタル U.S=0.25	MAIN METAL US=0.25		4			(2) アンダ-サイズ (U.S=0.25) プリンテス

Y00D6840
3TNE88- (E) TB (1)


2 ギヤケース
GEAR HOUSING



見出		ギヤース GEAR HOUSING		数量	互換性	備考
REF NO.	部品番号	部品名	Description	Q'ty	I R	
1	719810-01500	ギヤース シュミ	HOUSING ASSY, GEAR	1		
4	129795-01800	・ オイルシール	・ SEAL, OIL	1		
5	129400-01520	フランジ (ギヤース)	FLANGE, GEARS HOUSING	1		
6	121450-01560	ウエコミホルト 8×22	STUD M 8×22	3		
7	124160-01751	フタ(ホコウ)	CAP, LUB.OIL SUPPLY	1		
8	124240-01871	フタ(HO-P)	COVER, HO-P	1		
9	124240-01883	ハッキン(HO-P) (ノンアス)	GASKET, (NON-ASB.)	1		
10	129795-01950	パイプ ノック	PIPE, KNOCK L=18	2		
11	129150-03100	フレッドメ(ブレーザパイプ)	RETAINER	1		
12	121850-51960	オリンク (FOPトリック)	O-RING, F.I.PUMP	1		
13	24311-000160	オリンク 1A P 16.0	O-RING, 1A P-16.0	2		
14	24311-000320	オリンク 1A P 32.0	O-RING, 1A P-32.0	1		
15	26106-080122	ツバホルト 8×12	BOLT M 8×12 PLATED	4		
16	26106-080162	ツバホルト 8×16	BOLT M 8×16 PLATED	1		
17	26106-080162	ツバホルト 8×16	BOLT M 8×16 PLATED	3		
18	26106-080202	ツバホルト 8×20	BOLT M 8×20 PLATED	2		
19	26106-080452	ツバホルト 8×45	BOLT M 8×45 PLATED	6		
20	26106-080552	ツバホルト 8×55	BOLT M 8×55 PLATED	3		
21	129001-91840	ツバホルトM8×85(シドウクミ)	BOLT M 8×85 PLATED	4		
22	26366-080002	ツバツキナット 8	NUT M 8	3		
23	22190-080002	シールワッシャ(コマルニトリル) 8	SEAL WASHER 8S	4		
24	22190-080002	シールワッシャ(コマルニトリル) 8	SEAL WASHER 8S	1		
25	121023-01550	フタ(タコメータ)	COVER, BLIND	1		
26	24341-000240	オリンク 1A S 24.0	O-RING, 1A S-24.0	1		
27	26106-060162	ツバホルト 6×16	BOLT M 6×16 PLATED	2		
28	171031-11741	ホコウパイプ	PIPE	1		
29	24311-000320	オリンク 1A P 32.0	O-RING, 1A P-32.0	1		
30	977770-01212	シリコンケイエキシヨウガスケット	GASKET, LIQUID	1		(1) オプション プリンデス

Y00D6840
3TNE88-(E) TB (1)


3 フライホイールハウジング & オイルパン FLYWHEEL HOUSING & OIL SUMP



見出		部品番号		フライホイハウジ'ング' & オイルパ'ン		FLYWHEEL HOUSING & OIL SUMP		数量	互換性	R	備考
REF NO.	PARTS NO.	部品名	Description	Q'ty	I						
1	129100-01580	パイコウピン 8×16	PARALLEL PIN 8×16	2							
2	129612-01600	フライホイ'ル' ハウジ'ング'	HOUSING, FLYWHEEL	1							
3	119620-01750	キャッ'プ' (オイルカバ'ー	CAP, FLYWHEEL COVER	1							
4	26206-100252	ボ'ルト' 10×25	BOLT M10×25	6							
5	26206-100302	ボ'ルト' 10×30	BOLT M10×30	4							
6	129100-01730	カンザ' (オイルパ'ン	SPACER, OIL SUMP	1							
8	729102-01540	オイルパ'ン CMP	SUMP ASSY, LUB. OIL	1							
9	119640-01640	・ ドレ'ン' プラ'グ' M22	・ DRAIN PLUG M22	1							
11	22190-220002	・ シ'ール' ワッ'シャ' (コマル'ニトリル') 22	・ SEAL WASHER 22S	1							
12	26106-080162	ツバ'ボ'ルト' 8×16	BOLT M 8×16 PLATED	4							
13	26106-080252	ツバ'ボ'ルト' 8×25	BOLT M 8×25 PLATED	2							
14	26106-080452	ツバ'ボ'ルト' 8×45	BOLT M 8×45 PLATED	20							
15	129100-01580	パイコウピン 8×16	PARALLEL PIN 8×16	2							
16	129100-01640	オイルシ'ール'ケース CMP	CASE ASSY, OIL SEAL	1							
18	129795-01780	・ オイルシ'ール'	・ SEAL OIL	1							
19	129486-01670	ツバ'ボ'ルト' 8×30	BOLT M 8×30, COLLAR HD	6							
20	26106-080352	ツバ'ボ'ルト' 8×35	BOLT M 8×35 PLATED	3							
21	977770-01212	シリコ'ン'ゲ'イ'エキ'シ'ヨウ'カ'スケ'ット	GASKET, LIQUID	1		(1) オ'プ'シ'ョ'ン' プ'リン'デ'ス					

Y00D6840
3TNE88-(E) TB (1)


4 シリンダヘッド & ボンネット CYLINDER HEAD & BONNET



		シリンダヘッド & ボンネット		CYLINDER HEAD & BONNET					
見出	部品番号	部品名	Description	数量	互換性				
REF NO.	PARTS NO.			Q'ty	I	R		備考	
1	171350-03090	ブレーザパイプ L900	PIPE, BREATHER	1					
2	124736-07900	ツリアケ カナク	LIFTER, ENGINE	2					
3	129001-11700	シリンダヘッド CMP	HEAD ASSY, CYLINDER	1					
7	120130-11860	・ バルブガイド (SUC)	・ GUIDE, VALVE	3			(1)	ホヨクフヒンデス	
9	129150-11810	・ バルブガイド	・ GUIDE, VALVE	3			(1)	ホヨクフヒンデス	
11	26216-060202	・ ウエコミボルト 6×20	・ STUD M 6×20 PLATED	6					
12	27241-400000	・ ワンカプラグ 40	・ PLUG 40	2					
13	129100-11100	・ バルブ (INT)	・ VALVE, INTAKE	3					
14	129100-11110	・ バルブ (EXT)	・ VALVE, EXHAUST	3					
15	129795-11120	・ バンパネ	・ SPRING, VALVE	6					
16	129795-11180	・ オサエ (バンパネ)	・ RETAINER, SPRING	6					
17	27310-080000	・ コッター (ステム) 8	・ COTTER 8	6					
18	121400-11340	・ バルブステムシール	・ SEAL, VALVE STEM	3					
19	124460-11340	・ バルブステムシール	・ SEAL, VALVE STEM	3					
20	129150-11370	・ キャップ (バルブ)	・ CAP, VALVE	6					
21	119625-11870	・ プロテクタ (ノズル)	・ PROTECTOR, NOZZLE	3					
22	119625-11880	・ ノズルシート	・ SEAT, NOZZLE	3					
23	119625-11900	・ オサエ	・ RETAINER	3					
24	129100-11240	シャフト CMP	SHAFT ASSY, ROCKER	1					
25	129155-11260	・ バンワシサポート (A)	・ SUPPORT, ROCKER ARM	2					
26	129155-11270	・ バンワシサポート (B)	・ SUPPORT, ROCKER ARM	2					
27	129150-11280	・ バンワシクバネ	・ SPRING	3					
28	129150-11290	・ バンワシク	・ SHAFT, ROCKER ARM	1					
31	129100-11650	・ バンワシKIT	・ ARM ASSY, ROCKER	6					
32	129150-11230	・ ・ アジャスタ (バンスキマ)	・ ・ SCREW, VALVE	6					
34	129150-11750	・ ・ ナット M8×P1.0	・ ・ NUT M 8×P1.0	6					
35	26226-080182	・ ウエコミボルト (2D) 8×18	・ STUD M 8×18 PLATED	3					
36	26106-080252	ツバボルト 8×25	BOLT M 8×25 PLATED	2					
37	26106-080502	ツバボルト 8×50	BOLT M 8×50 PLATED	6					
38	22351-060012	スプリングピン 6.0A×12	SPRING PIN 6×12	2					
39	26366-060002	ツバナット 6	NUT M 6	6					
40	124160-11360	トッテ	KNOB	3					
41	124160-01751	フタ (ホコウ)	CAP, LUB.OIL SUPPLY	1					
42	129001-11350	ボンネット CMP	HOOD	1					
45	129001-11310	・ バックシン (バンワシク)	・ GASKET, BONNET	1					
46	129001-11340	・ フレーザパイプ	・ HOSE	1					
47	24311-000320	オリンク 1A P 32.0	O-RING, 1A P-32.0	1					
48	24311-000120	オリンク 1A P 12.0	O-RING, 1A P-12.0	3					
49	26106-080142	ツバボルト M 8×14	BOLT M 8×14 PLATED	4					

Y00D6840
 3TNE88- (E) TB (1)


5 キュウキマニホールド & イアクリーナ SUCTION MANIFOLD & AIR CLEANER



		キウキマニホ-ルト & エアクリ-ナ		SUCTION MANIFOLD & AIR CLEANER (TB)			
見出	部品番号	部品名	Description	数量	互換性	備考	
REF NO.	PARTS NO.			Q'ty	I R		
1	129001-12100	マニホ-ルト (INT)	MANIFOLD	1			
3	129001-12110	PK(マニホ-ルト)	GASKET, INT. MANIFOLD	1			
4	26106-080202	ツバ ホ-ルト 8×20	BOLT M 8×20 PLATED	4			
5	26106-080802	ツバ ホ-ルト 8×80	BOLT M 8×80 PLATED	1			
6	119910-12210	キウキマニホ-ス	PIPE, INTAKE	1			
7	119910-12560	フ-ラケット、エアクリ-ナ	BRACKET, AIR CLEANER	1			
8	23000-060000	ホ-スクリップ 60	CLAMP 60	2			
9	26013-080222	ホ-ルト(ハ-ネ 8×22	BOLT M 8×22	4			
10	26013-080222	ホ-ルト(ハ-ネ 8×22	BOLT M 8×22	2			
11	129100-77500	ヒ-ター(エア-	HEATER, AIR	1			
12	129100-77510	ハ-ッキン(エア-ヒ-ター	GASKET, AIR HEATER	1			
13	129150-77511	PK(エアヒ-ター)(ノンアス)	GASKET, (NON-ASB.)	1			
14	171340-77520	ベ-ント	BEND	1			
15	26106-080402	ツバ ホ-ルト 8×40	BOLT M 8×40 PLATED	2			
16	26106-080802	ツバ ホ-ルト 8×80	BOLT M 8×80 PLATED	2			
17	129030-12201	キウキマニホ-ス	PIPE, EXTENSION	1	W		
	(A=E19592)						
18	119869-12210	キウキマニホ-ス A	PIPE, EXTENSION	1	W		
	(A=E19592)						
19	23000-060000	ホ-スクリップ 60	CLAMP 60	2			
19-1	23000-060000	ホ-スクリップ 60	CLAMP 60	4	K		
	(A=E19592)						
20	129612-12680	エアクリ-ナ CMP	AIR CLEANER	1	Z		
	(A=E20225)						
21	129612-12690	・ エアクリ-ナ CMP	・ CLEANER ASSY, AIR	1			
22	129259-12570	・ ・ リンク	・ ・ RING	1			
23	119910-12510	・ ・ ホ-デ-イ	・ ・ BODY, AIR CLEANER	1			
24	119808-12520	・ ・ エレメント(アウタ	・ ・ ELEMENT, OUTER	1			
25	119866-12541	・ ・ カバ-ASSY	・ ・ COVER ASSY	1			
26	119808-12540	・ ・ アンローダ-ハ-ルプ	・ ・ VALVE, UNLOADER	1			
27	119140-12680	・ ・ インジ-ケ-タ(デ-ンキシキ	・ ・ INDICATOR	1			
28	129612-12560	・ エルホ (インター-ク	・ RING	1	Z		
	(A=E20225)						
29	23000-060000	・ ホ-スクリップ 60	・ CLAMP 60	1	Z		
	(A=E20225)						
30	121855-12060	キウキマニホ-ス	SILENCER, INLET	1	W		
	(A=E19592)						
31	23000-048000	ホ-スクリップ 48	CLAMP 48	1	W		
	(A=E19592)						
32	129132-12210	キウキマニホ-ス	PIPE, AIR INTAKE	1			
32-1	129030-12200	キウキマニホ-ス	PIPE, AIR INTAKE	1	N		
	(A=E19592)						
32-2	129030-12200	キウキマニホ-ス	PIPE, AIR INTAKE	1	Z		
	(A=E19592)						
33	119869-12220	キウキマニホ-ス B	PIPE, EXTENSION	1	Z		
	(A=*1999.04)						

Y00D6840
3TNE88- (E) TB (1)


5 キュウキマニホールド & イアクリーナ SUCTION MANIFOLD & AIR CLEANER



見出		部品番号		部品名	Description	数量	互換性		備考
REF NO.		PARTS NO.				Q'ty	I	R	
1		129001-12100		マニホールド (INT)	MANIFOLD	1			
3		129001-12110		PK(マニホールド)	GASKET, INT. MANIFOLD	1			
4		26106-080202		ツバボルト 8×20	BOLT M 8×20 PLATED	4			
5		26106-080802		ツバボルト 8×80	BOLT M 8×80 PLATED	1			
6		119910-12210		キューキホース	PIPE, INTAKE	1			
7		119910-12560		ブラケット、エアクリーナ	BRACKET, AIR CLEANER	1			
8		23000-060000		ホースクリップ 60	CLAMP 60	2			
9		26013-080222		ボルト(ハネ 8×22	BOLT M 8×22	4			
10		26013-080222		ボルト(ハネ 8×22	BOLT M 8×22	2			
11		129100-77500		ヒーター(エア)	HEATER, AIR	1			
12		129100-77510		パッキン(エアヒーター	GASKET, AIR HEATER	1			
13		129150-77511		PK(エアヒーター)(ノンアス)	GASKET, (NON-ASB.)	1			
14		171340-77520		ベンド	BEND	1			
15		26106-080402		ツバボルト 8×40	BOLT M 8×40 PLATED	2			
16		26106-080802		ツバボルト 8×80	BOLT M 8×80 PLATED	2			
17		129030-12201		キューキエネンチューガ	PIPE, EXTENSION	1			
18		119869-12210		キューキエネンチューガ A	PIPE, EXTENSION	1			
19-1		23000-060000		ホースクリップ 60	CLAMP 60	4			
21		129612-12690		エアクリーナ CMP	CLEANER ASSY, AIR	1			
22		129259-12570		・ リング	・ RING	1			
23		119910-12510		・ ボディ	・ BODY, AIR CLEANER	1			
24		119808-12520		・ エレメント(アウタ	・ ELEMENT, OUTER	1			
25		119866-12541		・ カバ -ASSY	・ COVER ASSY	1			
26		119808-12540		・ アンローダ バルブ	・ VALVE, UNLOADER	1			
27		119140-12680		・ インジケータ(デモンシキ	・ INDICATOR	1			
30		121855-12060		キューキサイレンサー	SILENCER, INLET	1			
31		23000-048000		ホースクリップ 48	CLAMP 48	1			

Y00D6840
3TNE88-(E) TB (1)


6 ハイキマニホールド & サイレンサ EXHAUST MANIFOLD & SILENCER



		ハイマニホ-ルト & サレンサ		EXHAUST MANIFOLD & SILENCER (TB,ETB)			
見出	部品番号	部品名	Description	数量	互換性		備考
REF NO.	PARTS NO.			Q'ty	I	R	
1	129211-13100	マニホ-ルト (EXH)	MANIFOLD, EXHAUST	1			
2	129150-13111	PK(マニホ-ルト)	GASKET, EXH. MANIFOLD	1			
3	26366-080002	ツバ ヅキナット 8	NUT M 8	2			
4	26106-080802	ツバ ホ-ルト 8×80	BOLT M 8×80 PLATED	4			
5	119131-18320	ウエコミホ-ルト M 8×22	BOLT M 8×22	4			
6	26216-080802	ウエコミホ-ルト 8×80	STUD M 8×80 PLATED	2			
7	124701-11911	ガスケット(サレンサ) (ノンアス)	GASKET, (NON-ASB.)	1			
8	129002-13501	サレンサ	SILENCER	1			
8-1	129030-13561	サレンサ	SILENCER	1	S		
	(A=E19592)						
9	26366-080002	ツバ ヅキナット 8	NUT M 8	4			
10	121120-13590	クランプ (フンシュウコウ)	CLAMP	1			
12	22137-100000	・ ザ ガ ネ (ミガ キ 10	・ WASHER 10, POLISHED	1			
13	22217-100000	・ ハ ネザ ガ ネ 10	・ SPRING WASHER 10	1			
14	26106-100652	・ ツバ ホ-ルト 10×65	・ BOLT M 10×65 PLATED	1			
15	26706-100002	・ ナット 10	・ NUT M 10	1			
16	26106-100202	ツバ ホ-ルト 10×20	BOLT M 10×20 PLATED	2			
19	129030-13580	フンシュウコウ	EXTENSION	1	W		
	(A=E19592)						

Y00D6840
3TNE88-(E) TB (1)

6 ハイキマニホールド & サイレンサ EXHAUST MANIFOLD & SILENCER




3TNE88-(E) TB1

見出 REF NO.	部品番号 PARTS NO.	ハイマニホ-ルト & サレンサ		EXHAUST MANIFOLD & SILENCER (TB1,ETB1)		数量 Q'ty	互換性		備考
		部品名	Description				I	R	
1	129211-13100	マニホ-ルト (EXH	MANIFOLD, EXHAUST			1			
2	129150-13111	PK (マニホ-ルト	GASKET, EXH. MANIFOLD			1			
3	26366-080002	ツバ ツキナット 8	NUT M 8			2			
4	26106-080802	ツバ ホ-ルト 8×80	BOLT M 8×80 PLATED			4			
5	119131-18320	ウエコミホ-ルト M 8×22	BOLT M 8×22			4			
6	26216-080802	ウエコミホ-ルト 8×80	STUD M 8×80 PLATED			2			
7	124701-11911	ガスケット (サイレンサ) (ノンアス)	GASKET, (NON-ASB.)			1			
8-1	129030-13561	サイレンサ	SILENCER			1			
9	26366-080002	ツバ ツキナット 8	NUT M 8			4			
10	121120-13590	クランプ (フンシュウコウ	CLAMP			1			
12	22137-100000	・ サ-カ-ネ (ミガ-キ 10	・ WASHER 10, POLISHED			1			
13	22217-100000	・ ハ-ネサ-カ-ネ 10	・ SPRING WASHER 10			1			
14	26106-100652	・ ツバ ホ-ルト 10×65	・ BOLT M 10×65 PLATED			1			
15	26706-100002	・ ナット 10	・ NUT M 10			1			
16	26106-100202	ツバ ホ-ルト 10×20	BOLT M 10×20 PLATED			2			
17	103954-13201	ガスケット (サイレンサ)	GASKET, SILENCER			1			
18	129030-13570	サイレンサ	SILENCER			1			
20	129030-13600	フンシュウコウ (サイレンサ	TAIL PIPE			1			

Y00D6840
3TNE88-(E) TB (1)


7 カムシャフト & クドウギヤ
CAMSHAFT & DRIVING GEAR



カムシャフト & クロウギヤ CAMSHAFT & DRIVING GEAR (TB,TB1)						
見出 REF NO.	部品番号 PARTS NO.	部品名 Description	数量 Q'ty	互換性 I R	備考	
1	129150-14200	タペット	6			
2	129150-14400	プッシュロッド	6			
3	129129-14580	カムシャフト	1			
4	129150-02450	・ スラストメタル	1			
7	129150-14101	・ カムギヤ D30	1			
8	22512-070140	・ フェザークー 7×14	1			
9	129150-25101	アイドルギヤ CMP	1			
12	129150-25920	・ プッシュ(ホヨウビン)	1		(1)	ホヨウビンデス
13	26106-080452	ツバボルト 8×45	2			
14	129150-25900	ギヤ (FI-P)	1			
16	22217-120000	バネサガネ 12	1			
17	26716-120002	ナット 12	1			
18	26106-080142	ツバボルト 8×14	2			
19	129100-25061	シャフト(アイドル)	1			

Y00D6840
3TNE88-(E) TB (1)

7 カムシャフト & クドウギヤ
CAMSHAFT & DRIVING GEAR




		カムシャフト & クロウギヤ		CAMSHAFT & DRIVING GEAR (ETB,ETB1)				
見出	部品番号	部品名	Description	数量	互換性			備考
REF NO.	PARTS NO.			Q'ty	I	R		
1	129150-14200	タペ ット	TAPPET	6				
2	129150-14400	プ ッシュロ ッド	ROD, PUSH	6				
3	129129-14580	カムシャフト	CAMSHAFT ASSY	1				
4	129150-02450	・ スラストメタル	・ METAL, THRUST	1				
7	129150-14101	・ カムギヤ- D30	・ GEAR, CAMSHAFT	1				
8	22512-070140	・ フェザ-キー 7 × 14	・ KEY 7 × 14	1				
9	129150-25101	アイド ルギヤ CMP	GEAR W/BUSH	1				
12	129150-25920	・ プ ッシュ(ホヨウビン)	・ BUSH, IDLE GEAR	1			(1)	ホヨウギヤ ヒンデ ス
13	26106-080452	ツバ ホ ル ト 8 × 45	BOLT M 8 × 45 PLATED	2				
15	129150-25930	ギヤ (FI-P	GEAR, FULE INJ. PUMP	1				
18	26106-080142	ツバ ホ ル ト 8 × 14	BOLT M 8 × 14 PLATED	2				
19	129100-25061	シャフト(アイドラー	SHAFT, IDLE GEAR	1				
20	126150-25301	ボ ル ト (FI-P	BOLT, FI-P	4				

		クランクシャフト & ピストン		CRANKSHAFT & PISTON					
見出	部品番号	部品名	Description	数量	互換性				
REF NO.	PARTS NO.			Q'ty	I	R			備考
1	129001-21000	クランクシャフト ASSY	CRANKSHAFT ASSY	1					
2	129100-01580	・ 平行ピン 8×16	・ PARALLEL PIN 8×16	1					
5	129150-21200	・ クランクギヤ	・ GEAR, CRANKSHAFT	1					
6	22512-070140	・ フェザークー 7×14	・ KEY 7×14	1					
8	171340-21650	Vプーリ(クランク)	V-PULLEY, CRANKSHAFT	1					
9	129795-21661	ワッシャー	WASHER	1					
10	121850-21680	ボルト(Vプーリ)	BOLT, V-PULLEY	1					
11	129128-21590	フライホイール CMP	FLYWHEEL W/RING GEAR	1					
14	119865-21600	・ リングギヤ	・ GEAR, RING	1					
15	129001-22081	ピストン CMP	PISTON W/RINGS	3					
17	129001-22500	・ ピストンリング CMP	・ RING SET, PISTON	3					
21	129202-22300	ピストンピン	PIN, PISTON	3					
22	22252-000260	トリムC(アナ 26	CIRCLIP 26	6					
23	729402-23100	ロッドアッシー	ROD ASSY, CONNECTING	3					
27	129100-23910	・ ピストンピンメタル	・ BUSH, PISTON PIN	3			(1)	ボヨウブ	ヒンデース
28	121550-23200	・ ロッドボルト	・ BOLT, CONNECTING ROD	6					
29	129150-23600	・ ベアリング(クランクピン)	・ BEARING, CRANKPIN	3					
31	129001-22901	ピストン CMP O.S=0.25	PISTON W/RING O.S=0.25	3			(2)	オーバーサイズ	(O.S=0.25)ブヒンデース
33	129001-22950	・ リングセット O.S=0.25	・ RING SET O.S=0.25	3			(2)	オーバーサイズ	(O.S=0.25)ブヒンデース
37	129150-23610	メタル(ピン) U.S=0.25	METAL PIN U.S=0.25	3			(3)	アンダーサイズ	(U.S=0.25)ブヒンデース
39	22351-040010	スプリングピン 4.0A×10	SPRING PIN 4×10	1					
40	121111-21501	ボルト(フライホイール)	BOLT, FLYWHEEL	6					

Y00D6840
3TNE88-(E) TB (1)


9 ロシテム LUB.OIL SYSTEM



		L0システム LUB.OIL SYSTEM					
見出	部品番号	部品名	Description	数量	互換性	備考	
REF NO.	PARTS NO.			Q'ty	I R		
1	129001-32001	LO-P CMP	PUMP ASSY, LUB. OIL	1			
14	121520-34810	ガイド (ケンコボウ)	GUIDE, DIPSTICK	1			
15	129150-35041	PK(キューニューカン) (ノンアス)	GASKET, (NON-ASB.)	1			
16	129150-35091	LOキューニューカン CMP	PIPE ASSY, OIL INLET	1			
20	26106-080352	ツバボルト 8×35	BOLT M 8×35 PLATED	2			
21	129150-35101	ブラケット	BRACKET, STRAINER	1			
22	129150-35111	PK(フィルタブラケット) (ノンアス)	GASKET, (NON-ASB.)	1			
23	129150-35152	フィルタ 80×80L	FILTER 80×80L	1			
24	129001-35300	ボルト、LOフィルタ	BOLT, LUB.O. STRAINER	1			
25	129150-35350	ナット(ハンボンタイ)	NUT	1			
26	24311-000160	Oリング 1A P 16.0	O-RING, 1A P-16.0	1			
27	26106-080202	ツバボルト 8×20	BOLT M 8×20 PLATED	3			
28	124160-39451	コアツスイッチ (0.5KG)	SWITCH, OIL PRESSURE	1			
28-1	124160-39450	コアツスイッチ 0.5KG キボシ	SWITCH, OIL PRESSURE	1	N		
	(A=E18794)						
29	124160-39140	カンツキテボルト 10	BOLT 10, PIPE JOINT	1			
30	129150-39450	LO-T CMP	PIPE ASSY, LUB. OIL	1			
34	124550-59830	カンツキテボルト CMP 8	BOLT W/ SEAL WASHER	1	W		
	(A=E19837)						
35	124550-59820	・カンツキテボルト 8	・ BOLT 8, PIPE JOINT	1			
36	22190-080002	・シールワッシャ(コマル.ニトリル) 8	・ SEAL WASHER 8S	2			
36-1	22190-080002	・シールワッシャ(コマル.ニトリル) 8	・ SEAL WASHER 8S	1	K		
	(A=E19837)						
37	23414-100000	ハッキン(マル 10	GASKET 10, ROUND	2			
38	129150-32020	PK(LO-P	GASKET, L.O. PUMP	1			
39	26450-060252	6カクアボルト 6×25	BOLT M 6×25	4			
40	129403-34800	ケンコボウ	DIPSTICK, LUB. OIL	1			
41	22190-080002	シールワッシャ(コマル.ニトリル) 8	SEAL WASHER 8S	1	W		
	(A=E19837)						

Y00D6840
3TNE88- (E) TB (1)

10 CWシステム COOLING WATER SYSTEM



		CWシステム COOLING WATER SYSTEM		数量	互換性		備考
見出	部品番号	部品名	Description		I	R	
REF NO.	PARTS NO.			Q'ty			
1	121750-49110	ジョイント(ミキサー用)	JOINT	1			
2	129001-42002	CWポンプ CMP	PUMP ASSY, C.WATER	1			
12	23871-030000	・ネジプラグ PT 3/8	・ PLUG PT3/8, SCREW	2			
14	26106-080602	ボルト 8×60	BOLT M 8×60 PLATED	3			
15	25132-003800	Vベルト(ローエッジ) A38	V-BELT (A-38)	1			
15-1	119831-42290	Vベルト A37.5	V-BELT A37.5	1	N		
	(A=E19592)						
16	129556-42350	Vプーリー(96	V-PULLEY	1			
16-1	129155-42350	Vプーリー(90	V-PULLEY, C.W. PUMP	1	N		
	(A=E19592)						
17	121520-44740	ファン、ダイヤ 325MM	FAN, COOLING	1			
18	171353-44760	カンガ(ファン	SPACER	1			
19	26106-060452	ボルト 6×45	BOLT M 6×45 PLATED	4			
20	129350-49560	サーモスタットカバー	COVER, THERMOSTAT	1			
21	129795-49551	PK(サーモスタットカバー)(ノンアス)	GASKET, (NON-ASB.)	1			
22	129155-49800	サーモスタット(71)	THERMOSTAT	1			
23	129150-49811	PK(サーモスタットシタ)(ノンアス)	GASKET, (NON-ASB.)	1			
24	129100-49840	PK(サーモスタットケース	GASKET, THERMO. CASE	1			
25	26106-080202	ボルト 8×20	BOLT M 8×20 PLATED	2			
26	124465-44950	パッキン 16	GASKET 16	1			
27	119266-49350	サーモセンサー	SENSOR, THERMO	1			
28	129150-49360	PK 10	GASKET 10	1			
29	129001-42040	ジョイント(CW-P	JOINT	1			
30	24321-000300	Oリング 1A G 30.0	O-RING G30	1			
31	26106-080162	ボルト 8×16	BOLT M 8×16 PLATED	3			
32	171064-44510	サブタンク CMP	SUB-TANK ASSY	1			
34	121450-44531	・キャップ	・ CAP	1			
35	124450-44560	・オメガ(オーバーフローパイプ	・ CLAMP	1			
36	121470-44581	・パッキン	・ GASKET	1			
37	23065-070225	・ヒニルパイプ(ゴム 7×225	・ HOSE 7×225	1			
38	124450-44550	バンド(サブタンク	CLAMP, SUB-TANK	1			
39	121256-44600	ブラケット(サブタンク) (12)	BRACKET, SUB-TANK	1			
40	129100-42020	PK(CWポンプ	GASKET, C.W. PUMP	1			
41	121250-44901	サーモスイッチ(110	SWITCH, THERMO(110	1			
42	129132-44500	ラジエータ	RADIATOR	1			
42-1	129030-44510	ラジエータ ASSY	RADIATOR ASSY	1	S		
	(A=E19592)						
43	123682-44210	・ガッパキャップ	・ CAP	1			
44	121250-44590	・クランプ	・ CLAMP	2			
46	129132-44520	・シュラウド	・ SHROUD	1			
47	129132-44530	・ゴムホース	・ HOSE, C.WATER	1			
48	26014-080162	・ボルト(ヒラ+パネ 8×16	・ BOLT M 8×16	4			
49	129132-44590	ワイヤネット	NET, WIRE	1			
50	129132-44901	オイルクーラ CMP	COOLER ASSY, LUB OIL	1			
51	119860-49010	CW-T(A	PIPE (A), C.WATER	1			
52	119860-49020	CW-T(B	PIPE (B), C.WATER	1			
52	119859-49020	CW-T(B	PIPE (B), C.WATER	1	N		
	(A=E20508)						
53	23010-038000	ホースバンド 38	CLAMP 38	4			
54	129150-49100	サンボウコック CMP	COCK ASSY, 3-WAY	1			
55	129150-49080	ドレンコック	COCK, DRAIN	1			

Y00D6840
 3TNE88- (E) TB (1)

11 F07ンシャポンプ
 FUEL INJECTION PUMP

