



Product: Takeuchi TB145 Mini Compact Excavator Parts Manual(Book No.BK3Z007)

Full Download: <https://www.repairmanual.com/downloads/takeuchi-tb145-mini-compact-excavator-parts-manualbook-no-bk3z007/>

How to read this Parts Catalog

見出 部品番号 部品名 数量 互換性 備考

ENGINE  
4TNE88-TB(1)  
S/N 14510004-14510111  
4TNE88-ETB(1)  
S/N 14510112-14513260  
2006.2.9

Sample of manual. Download All 90 pages at:

<https://www.repairmanual.com/downloads/takeuchi-tb145-mini-compact-excavator-parts-manualbook-no-bk3z007/>

# How to read this Parts Catalog.

1. Parts mentioned in this Parts Catalog may not necessarily be standard equipping parts.
2. Parts change may be made without prior notice.
3. Form of this Parts Catalog.

Y00F2161 (1997.09.01)

A= 4JH-DT	D= 4JH-DTZA
B= 4JH-DTZ	E= 4JH-DTZY
C= 4JH-DTZP	F=

**Fig. 29 燃料噴射ポンプ(ブーコン用)**  
**FUEL INJECTION PUMP (W/BOOST)**

見出し REF.No.	レベル LEV.	部品番号 PARTS No.	部品名	DESCRIPTION	個数 (Qty)						備考 R
					A	B	C	D	E	F	
1	•	729595-51390	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	
1-1	•	729595-51391	FOポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	
		(A=E/#00185)(B=E/#00200)									
3	••	26022-060162	ナベコネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9	9	
I 3-1	••	26022-060162	ナベコネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4	4	K
		(A=E/#00185)(B=E/#00200)(C=E/#00156)(D=E/#00156)(E=E/#00156)									
4	••	129470-51040	カムシャフト	CAMSHAFT	1	1	1	1	1	1	
5	••	122710-51050	ベアリングローラ	BEARING, ROLLER	2	2	2	2	2	2	
6	••	129470-51060	ベアリングホルダ	RETAINER	1	1	1	1	1	1	

<p><b>備考</b></p> <p>(1) ブーストコンペンサータ付き、4JH-DT、4JH-DTZとも E/# 00155までは、特別注文仕様とします</p>	<p><b>Remarks</b></p> <p>(1) BOOST COMPEMSATOR TYPE. OPTIONAL PART, TO E/# 00155, (4JH - DT,4JH - DTZ)</p>
--	--

① Ref. No.

The Ref. No. in the list may not be accord with the Ref. No. on illustration.

(Ex.) Illustration No. List head No.

1 1 (Befor change) → 1 -1 (After change)

When interchangeable symbol N, R, and K, illustrations for new parts are sometimes omitted.

② Lev.(Level)

Indication and Meaning of Level

Level : Hereunder is given the relation among the number of dots(•),the level and the nominal parent- child relationship.

- .....Parent parts(Assembly parts)
- .....Child parts included in "••" (Semi- Assembly parts,component parts of Assembly parts.)
- .....Child parts included in "•••", Grand- child parts in terms of "••".  
(Component parts of Semi- Assembly parts.)

Note) A parts of non- sale parts are illustlated but not listed.

③ Change Mark

Change Mark "I" is given to the part for which a desigh change was made at this time.

The design change was not shown in the last published Parts Catalog.

④ Interchangeability Mark

In the case where a part change took place,one of the following interchangeability marks is indicated for that part.

Symbol	interchangeability	Contents note
N	Old  New	New Part is interchangeable for Old Part but not interchangeable conversely.
Q	Old  New	New Part is not interchangeable for Old Part but interchangeable conversely.
R	Old  New	New Part is interchangeable for Old Part and vice versa.
S	Old  New	New Part is not interchangeable for Old Part and vice versa.
W		Part newly added.
Z		Part discontinued.
F		Not interchangeable single part but interchangeable by set of the related parts.
K		Changed only in quantity used.

⑤ Effective Machine No.

When a part is changed,Effective Machine No. of a Model for which the part is applicable is indication in each column of (A)- (F).

Product Symbol	Product No.	Product Symbol	Product No.
C	Clutch No. Compressor No.	M	Machine No.
D	Drive No.	T	Tractor No.
E	Engine No.	Note1) ※	Date

Note1) Date may follow the symbol in some cases. (Ex.) ※ 1996.01

Note2) As far as engine models shown by "XXX" are concerned, the modification of the parts could not be predicted or the engine models themselves could not be identified.

Note3) (A=E/#00185) means that the design change on the part has been effective for the model at the column (A)(in this case, for 4JH- DT) on and from E/#(Engine Serial Number) 00185.

⑥ Remarks Mark

Figures or alphabets (Symbols) are entered in the remark column.


The comments(remarks)on the pertinent parts are indicated in the lower part of the list by the same symbols as those stated above.

NAME	PAGE
CYLINDER BLOCK	Fig. 1
GEAR HOUSING	Fig. 2
FLYWHEEL HOUSING & OIL SUMP	Fig. 3
CYLINDER HEAD & BONNET	Fig. 4
SUCTION MANIFOLD & AIR CLEANER	Fig. 5
EXHAUST MANIFOLD & SILENCER	Fig. 6
CAMSHAFT & DRIVING GEAR	Fig. 7
CRANKSHAFT & PISTON	Fig. 8
LUB. OIL SYSTEM	Fig. 9
COOLING WATER SYSTEM	Fig. 10
FUEL INJECTION PUMP	Fig. 11
GOVERNOR	Fig. 12
FUEL INJECTION VALVE	Fig. 13
FUEL LINE	Fig. 14
STARTING MOTOR	Fig. 15
GENERATOR	Fig. 16
GASKET SET	Fig. 17



Y00D6850  
4TNE88-(E)TB(1)


1 シリンダブロック  
CYLINDER BLOCK



見出 REF NO.	部品番号 PARTS NO.	部品名 Description	シリンダブロック CYLINDER BLOCK		備考
			数量 Q'ty	互換性 I R	
1	729407-01561	シリンダブロック CMP	1		
5	124160-01910	プラグ PT1/4	2		
6	124160-01910	プラグ PT1/4	1		
7	171051-01921	プラグ NPTF1	1		
8	129150-02020	ボルト(メタルキャップ)	10		
11	23871-010000	ネジプラグ PT1/8	1		
12	27231-500000	サラガタブラグ 50	1		
13	27241-120000	ワナガタブラグ 12	2		
14	27241-300000	ワナガタブラグ 30	8		
15	23871-030000	ネジプラグ PT3/8	1		
16	129001-02800	メインメタル CMP	5		
25	129150-02930	スラストメタル	2		
28	129795-02411	ブッシュ(A)	1		
29	26106-080162	ツバボルト 8×16	2		
30	129150-01200	ヘッドボルト	18		
31	129407-01340	ヘッドガスケット	1		
32	129150-02870	メインメタル U.S=0.25	5		(1) アンダーサイズ (U.S=0.25) プリンテス
35	129150-02940	スラストメタル O.S=0.25	2		(2) オーバーサイズ (O.S=0.25) プリンテス

Y00D6850  
4TNE88-(E)TB(1)


ギヤケース  
2 GEAR HOUSING



見出 REF NO.	部品番号 PARTS NO.	部品名 Description	ギヤース GEAR HOUSING	数量 Q'ty	互換性 I R	備考
1	719810-01500	ギヤース シグミ	HOUSING ASSY, GEAR	1		
4	129795-01800	・ オイルシール	SEAL, OIL	1		
5	129400-01520	フランジ (ギヤース)	FLANGE, GEARS HOUSING	1		
6	121450-01560	ウエッジボルト 8×22	STUD M 8×22	3		
7	124160-01751	フタ (ホコウ)	CAP, LUB.OIL SUPPLY	1		
8	124240-01871	フタ (HO-P)	COVER, HO-P	1		
9	124240-01883	パッキン (HO-P) (ノアス)	GASKET, (NON-ASB.)	1		
10	129795-01950	パイプ ノック	PIPE, KNOCK L=18	2		
11	129150-03100	プレート (ブレーザパイプ)	RETAINER	1		
12	121850-51960	Oリング (FOPTリツケ)	O-RING, F.I.PUMP	1		
13	24311-000160	Oリング 1A P 16.0	O-RING, 1A P-16.0	2		
14	24311-000320	Oリング 1A P 32.0	O-RING, 1A P-32.0	1		
15	26106-080122	ツバボルト 8×12	BOLT M 8×12 PLATED	4		
16	26106-080162	ツバボルト 8×16	BOLT M 8×16 PLATED	1		
17	26106-080162	ツバボルト 8×16	BOLT M 8×16 PLATED	3		
18	26106-080202	ツバボルト 8×20	BOLT M 8×20 PLATED	2		
19	26106-080452	ツバボルト 8×45	BOLT M 8×45 PLATED	6		
20	26106-080552	ツバボルト 8×55	BOLT M 8×55 PLATED	3		
21	129001-91840	ツバボルト M8×85 (ジトウクミ)	BOLT M 8×85 PLATED	4		
22	26366-080002	ツバナット 8	NUT M 8	3		
23	22190-080002	シールワッシャ (コマルニトリル) 8	SEAL WASHER 8S	4		
24	22190-080002	シールワッシャ (コマルニトリル) 8	SEAL WASHER 8S	1		
25	121023-01550	フタ (タコメタ)	COVER, BLIND	1		
26	24341-000240	Oリング 1A S 24.0	O-RING, 1A S-24.0	1		
27	26106-060162	ツバボルト 6×16	BOLT M 6×16 PLATED	2		
28	977770-01212	シリコングアイエキシヨウガスケツト	GASKET, LIQUID	1		(1) オプション プリンテス
29	171031-11741 (A=E40680)	ホコウパイプ (TB)	PIPE(TB)	1	Z	
30	24311-000320 (A=E40680)	Oリング 1A P 32.0(TB)	O-RING, 1A P-32.0(TB)	1	Z	

Y00D6850  
4TNE88-(E)TB(1)


### 3 フライホイールハウジング & オイルパン FLYWHEEL HOUSING & OIL SUMP



見出		部品番号		FLYWHEEL HOUSING & OIL SUMP		数量	互換性	備考
REF NO.	PARTS NO.	部品名	Description	Q'ty	I	R		
1	129100-01580	アイコウピン 8×16	PARALLEL PIN 8×16	2				
2	129612-01600	フライホイールハウジング	HOUSING, FLYWHEEL	1				
3	119620-01750	キャップ (オイルカバー)	CAP, FLYWHEEL COVER	1				
4	26206-100252	ボルト 10×25	BOLT M10×25	6				
5	26206-100302	ボルト 10×30	BOLT M10×30	4				
6	729402-01540	オイルパンシムミ(アサガタ)	SUMP ASSY, LUB OIL	1				
6-1	129400-01770	オイルパン(フカガタ) CMP (A=E38541)	SUMP ASSY, LUB OIL	1	N			
7	119640-01640	・ ドレッププラグ M22	・ DRAIN PLUG M22	1				
7-1	171301-01640	・ プラグ (22) (A=E38541)	・ PLUG M22	1	S			
9	22190-220002	・ シールワッシャ(コマルニトリル) 22	・ SEAL WASHER 22S	1				
9-1	24341-000250	・ Oリング 1A S 25.0 (A=E38541)	・ O-RING, 1A S-25.0	1	S			
10	129400-01730	カンザ(オイルパン)	SPACER, OIL SUMP	1				
12	26106-080162	ツバボルト 8×16	BOLT M 8×16 PLATED	4				
13	26106-080252	ツバボルト 8×25	BOLT M 8×25 PLATED	2				
14	26106-080452	ツバボルト 8×45	BOLT M 8×45 PLATED	24				
15	129100-01580	アイコウピン 8×16	PARALLEL PIN 8×16	2				
16	129100-01640	オイルシールケース CMP	CASE ASSY, OIL SEAL	1				
18	129795-01780	・ オイルシール	・ SEAL OIL	1				
19	129486-01670	ツバボルト 8×30	BOLT M 8×30, COLLAR HD	6				
20	26106-080352	ツバボルト 8×35	BOLT M 8×35 PLATED	3				
21	977770-01212	シリコンナイ エキゾウガスケツト	GASKET, LIQUID	1			(1) オプションで付く	

Y00D6850  
4TNE88-(E)TB(1)


4 シリンダヘッド & ボンネット  
CYLINDER HEAD & BONNET



		シリンダヘッド & ボンネット		CYLINDER HEAD & BONNET	数量	互換性		備考
見出	部品番号	部品名	Description	Q'ty	I	R		
REF NO.	PARTS NO.							
1	171350-03090	ブリーザパイプ L900	PIPE, BREATHER	1				
2	124736-07900	ツリアゲ 加付	LIFTER, ENGINE	2				
3	26106-080142	ツバボルト M 8×14	BOLT M 8×14 PLATED	4				
4	129407-11700	シリンダヘッド CMP	HEAD ASSY, CYLINDER	1				
8	120130-11860	・バルブガイド (SUC)	・GUIDE, VALVE	4			(1)	ホコウブヒンデス
10	129150-11810	・ハイベンガイド	・GUIDE, VALVE	4			(1)	ホコウブヒンデス
12	26216-060202	・ウエキボルト 6×20	・STUD M 6×20 PLATED	8				
13	27241-400000	・ワウガタブラグ 40	・PLUG 40	2				
14	129100-11100	・バルブ (INT)	・VALVE, INTAKE	4				
15	129100-11110	・バルブ (EXT)	・VALVE, EXHAUST	4				
16	129795-11120	・ベンパネ	・SPRING, VALVE	8				
17	129795-11180	・オサエ (ベンパネ)	・RETAINER, SPRING	8				
18	27310-080000	・コッター (ステム 8)	・COTTER 8	8				
19	121400-11340	・バルブ ステムシール	・SEAL, VALVE STEM	4				
20	124460-11340	・バルブ ステムシール	・SEAL, VALVE STEM	4				
21	129150-11370	・キャップ (ベン)	・CAP, VALVE	8				
22	22351-060012	・スプリングピン 6.0A×12	・SPRING PIN 6×12	2				
23	26366-060002	・ツバ ヌキナット 6	・NUT M 6	8				
24	119625-11900	・オサエ	・RETAINER	4				
25	119625-11880	・ノズルシート	SEAT, NOZZLE	4				
26	119625-11870	・プロテクタ (ノズル)	PROTECTOR, NOZZLE	4				
27	129500-11240	・ベンワウシャフト CMP	SHAFT, ROCKER ARM	1				
28	129155-11260	・ベンワウサポート (A)	・SUPPORT, ROCKER ARM	2				
29	129155-11270	・ベンワウサポート (B)	・SUPPORT, ROCKER ARM	3				
30	129150-11280	・ベンワウクバネ	・SPRING	4				
31	129550-11290	・ベンワウシャフト (ブラク ヌキ)	・SHAFT, ROCKER ARM	1				
34	129100-11650	・ベンワウKIT	・ARM ASSY, ROCKER	8				
35	129150-11230	・・アジャスタ (ベンスキマ)	・・SCREW, VALVE	8				
37	129150-11750	・・ナット M8×P1.0	・・NUT M 8×P1.0	8				
38	26226-080182	・ウエキボルト (2D 8×18)	・STUD M 8×18 PLATED	3				
39	26756-080002	・トメナット 8	・LOCK NUT M 8 PLATED	3				
40	26106-080252	ツバボルト 8×25	BOLT M 8×25 PLATED	3				
41	26106-080502	ツバボルト 8×50	BOLT M 8×50 PLATED	7				
42	129400-11350	ボンネット CMP	BONNET ASSY	1				
43	124160-01751	・フタ (ホコウ)	・CAP, LUB.OIL SUPPLY	1				
44	129150-03020	・ブリーザフタ	・COVER, BREATHER	1				
45	129150-03070	・バフフル (ブリーザ)	・BAFFLE, BREATHER	1				
46	129150-03080	・シヤマイタ	・PLATE, SHELTER	1				
49	129550-11310	・パッキン (ベンワウシツ)	・GASKET, BONNET	1				
50	24311-000320	・Oリング 1A P 32.0	・O-RING, 1A P-32.0	1				
51	24311-000500	・Oリング 1A S 50.0	・O-RING, 1A S-50.0	1				
52	26106-080162	・ツバボルト 8×16	・BOLT M 8×16 PLATED	2				
61	124160-11360	トッテ	KNOB	3				
62	24311-000120	Oリング 1A P 12.0	O-RING, 1A P-12.0	3				

Y00D6850  
 4TNE88-(E)TB(1)

5 キュウキマニホールド & エアクリーナ  
 SUCTION MANIFOLD & AIR CLEANER




キウキマニホ-ルト & エアクリ-ナ SUCTION MANIFOLD & AIR CLEANER

見出 REF NO.	部品番号 PARTS NO.	部品名 Description	数量 Q'ty	互換性 I R	備考
1	129407-12100	マニホ-ルト (INT)	1		
3	129407-12110	PK(マニホ-ルト)	1		
4	26106-080202	ツバボ-ルト 8×20	6		
5	26106-080802	ツバボ-ルト 8×80	1		
6	119910-12210	キウキホ-ス	1		
7	119910-12560	ブラケツト、エアクリ-ナ	1		
8	23000-060000	ホ-スクリップ 60	2		
8-1	23000-060000 (A=E37950)	ホ-スクリップ 60	6	K	
9	26013-080222	ボ-ルト(ハネ 8×22)	4		
10	26013-080222	ボ-ルト(ハネ 8×22)	2		
11	129100-77500	ヒ-ター(エア)	1		
12	129100-77510	パ-ッキン(エアヒ-ター)	1		
13	129150-77511	PK(エアヒ-ター)(ノンアス)	1		
14	171340-77520	ヘ-ント	1		
15	26106-080402	ツバボ-ルト 8×40	2		
16	26106-080802	ツバボ-ルト 8×80	2		
17	121855-12060 (A=E37950)	キウキサイレンサ-	1	W	
18	119883-12210 (A=E37950)	キウキホ-ス	1	W	
19	23000-060000	ホ-スクリップ 60	2		
20	129612-12680	エアクリ-ナ CMP	1		
21	129612-12560	・ エルボ (インテ-ク	1		
22	23000-060000	・ ホ-スクリップ 60	1		
23	129612-12690	・ エアクリ-ナ CMP	1		
24	119910-12510	・ ・ ボ-ディ	1		
25	119808-12520	・ ・ エレメント(アウタ	1		
26	119866-12541	・ ・ カバ-ASSY	1		
27	119808-12540	・ ・ アンローダバルブ	1		
28	119140-12680	・ ・ インジケ-タ(デ-ンキシキ	1		
29	129259-12570	・ ・ リンク	1		
30	129612-12241 (A=E37950)	キウキエンチヨウカン	1	W	
31	129612-12250 (A=E37950)	・ キウキエンチヨウカン	1	W	
32	129612-12260 (A=E37950)	・ キウキエンチヨウカン	1	W	
33	129132-12210	キウキエンチヨウカン(TB)	1		
33-1	129612-12240 (A=Exxxx)	キウキエンチヨウカン(TB)	1	N	
33-2	129612-12240 (A=E37950)	キウキエンチヨウカン(TB)	1	Z	
34	119869-12220 (A=*1999.04)	キウキエンチヨウカン B(TB)	1	Z	

Y00D6850  
 4TNE88-(E)TB(1)


6 ハイキマニホールド & サイレンサ  
 EXHAUST MANIFOLD & SILENCER



		ハイマニホールド & サイレンサ		EXHAUST MANIFOLD & SILENCER					
見出	部品番号	部品名	Description	数量	互換性				
REF NO.	PARTS NO.			Q'ty	I	R			備考
1	129402-13101	マニホールド (EXH)	MANIFOLD, EXHAUST	1					
2	129150-13111	PK (EXHマニホールド)	GASKET, EXH. MANIFOLD	1					
3	26366-080002	ツバ ヌキナット 8	NUT M 8	2					
4	26106-080802	ツバ ボルト 8×80	BOLT M 8×80 PLATED	6					
5	119131-18320	ウエコミボルト M 8×22	BOLT M 8×22	4					
6	26216-080802	ウエコミボルト 8×80	STUD M 8×80 PLATED	2					
7	129400-13201	ガスケット (サイレンサ) (ノンアス)	GASKET, (NON-ASB.)	1					
8	129612-13590	サイレンサ (TB)	SILENCER (TB)	1					
8-1	129612-13610 (A=E37950)	サイレンサ (TB)	SILENCER (TB)	1	N				
8-2	129612-13611 (A=E38023)	サイレンサ (TB, ETB)	SILENCER (TB, ETB)	1	N				
9	129612-13640	サイレンサ (TB1, ETB1)	SILENCER, EXHAUST (TB1, ETB1)						
10	129612-13620 (A=E37950)	フンシュツコウ (サイレンサ) (TB, ETB)	TAIL PIPE (TB, ETB)	1					W
11	129612-13630	フンシュツコウ (サイレンサ) (TB1, ETB1)	TAIL PIPE (TB1, ETB1)	1					
12	121120-13590	クランプ (フンシュツコウ)	CLAMP	1					
14	22137-100000	・ サガネ (ミカキ 10)	・ WASHER 10, POLISHED	1					
15	22217-100000	・ ハネサガネ 10	・ SPRING WASHER 10	1					
16	26106-100652	・ ツバ ボルト 10×65	・ BOLT M 10×65 PLATED	1					
17	26706-100002	・ ナット 10	・ NUT M 10	1					
18	26106-100162	ツバ ボルト 10×16	BOLT M 10×16 PLATED	4					
19	26366-080002	ツバ ヌキナット 8	NUT M 8	4					
20	103954-13201 (A=E38009)	ガスケット (サイレンサ) (TB)	GASKET, SILENCER (TB)	1					Z
21	171091-13670 (A=E37950)	バンド (TB)	BAND (TB)	2					Z
22	129612-13680 (A=E37950)	ステー (サイレンサ) (TB)	BRACKET, SILENCER (TB)	2					Z
23	26106-080352 (A=E37950)	ツバ ボルト 8×35 (TB)	BOLT M 8×35 PLATED (TB)	4					Z

Y00D6850  
 4TNE88-(E)TB(1)

7 カムシャフト & クドウギヤ  
 CAMSHAFT & DRIVING GEAR




カムシャフト & クロウギヤ CAMSHAFT & DRIVING GEAR

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	129150-14200	タペット	TAPPET	8		
2	129150-14400	プッシュロッド	ROD, PUSH	8		
3	729402-14580	カムシャフト	CAMSHAFT ASSY	1		
4	129150-02450	・ スラストメタル	・ METAL, THRUST	1		
7	129150-14101	・ カムギヤ D30	・ GEAR, CAMSHAFT	1		
8	22512-070140	・ フェザークー 7×14	・ KEY 7×14	1		
9	129100-25061	シャフト(アイドル)	SHAFT, IDLE GEAR	1		
10	129150-25101	アイドルギヤ CMP	GEAR W/BUSH	1		
13	129150-25920	・ プッシュ(ホヨウビン)	・ BUSH, IDLE GEAR	1		(1) ホヨウビンデス
14	26106-080452	ツバボルト 8×45	BOLT M 8×45 PLATED	2		
15	129150-25900	ギヤ (FI-P)	GEAR, FULE INJ. PUMP	1		
16	129150-25930	ギヤ (FI-P(ETB,ETB1))	GEAR, FULE INJ. PUMP(ETB,ETB1)	1		
17	22217-120000	ハネガネ 12	SPRING WASHER 12	1		
18	26716-120002	ナット 12	NUT M 12	1		
19	126150-25301	ボルト (FI-P(ETB,ETB1))	BOLT, FI-P(ETB,ETB1)	1		

Y00D6850  
4TNE88-(E)TB(1)

クランクシャフト & ピストン  
CRANKSHAFT & PISTON




クランクシャフト & ピストン CRANKSHAFT & PISTON

見出 REF NO.	部品番号 PARTS NO.	部品名 Description	数量 Q'ty	互換性 I R	備考
1	129407-21000	クランクシャフト CMP	1		
2	129100-01580	・ ハイコピン 8×16	1		
5	129150-21200	・ クランクギヤ	1		
6	22512-070140	・ フェザークー 7×14	1		
8	22351-040010	スプリングピン 4.0A×10	1		
9	129466-21650	Vプーリ(クランクシャフト)	1		
9-1	129550-21650 (A=*1999.05)	Vプーリ(クランクシャフト)	1	N	
10	129795-21661	ワッシャー	1		
11	121850-21680	ボルト(Vプーリ)	1		
12	121111-21501	ボルト(フライホイール)	6		
13	129612-21570	フライホイール CMP	1		
16	119865-21600	・ リングギヤ	1		
17	129001-22081	ピストン CMP	4		
19	129001-22500	・ ピストンリング SET	4		
23	129202-22300	ピストンピン	4		
24	22252-000260	トメワ(ア) 26	8		
25	729402-23100	ロッドアッシー(コネクティング)	4		
29	129100-23910	・ ピストンピンメタル	4		
30	121550-23200	・ ロッドボルト	8		(1) ホヨウブヒンデス
31	129150-23600	・ ベアリング(クランクピン)	4		
33	129001-22901	ピストン CMP 0.S=0.25	4		(2) オーバースイズ(0.S=0.25)ブヒンデス
35	129001-22950	・ リングセット 0.S=0.25	4		(2) オーバースイズ(0.S=0.25)ブヒンデス
39	129150-23610	メタル(ピン) U.S=0.25	4		(3) アンダースイズ(U.S=0.25)ブヒンデス

Y00D6850  
4TNE88-(E)TB(1)


9 LOシステム  
LUB.OIL SYSTEM



見出 REF NO.	部品番号 PARTS NO.	部品名	LOシステム	LUB.OIL SYSTEM	数量 Q'ty	互換性		備考
				Description		I	R	
1	129407-32000	LO-P CMP		PUMP ASSY, LUB. OIL	1			
14	129150-32020	PK(LO-P		GASKET, L.O. PUMP	1			
15	26450-060252	6カクアボルト 6×25		BOLT M 6×25	4			
16	129150-35041	PK(キュウニウカン) (ノンアス)		GASKET, (NON-ASB.)	1			
17	129150-35091	LOキュウニウカン CMP		PIPE ASSY, OIL INLET	1			
17-1	129436-35091 (A=E38541)	LOキュウニウカン CMP		PIPE ASSY, LUB. OIL	1	N		
21	26106-080352	ツバボルト 8×35		BOLT M 8×35 PLATED	2			
22	129150-35101	ブラケット		BRACKET, STRAINER	1			
23	129150-35111	PK(フィルタブラケット) (ノンアス)		GASKET, (NON-ASB.)	1			
24	129150-35152	フィルタ 80×80L		FILTER 80×80L	1			
25	129001-35300	ボルト、LOフィルタ		BOLT, LUB.O. STRAINER	1			
26	129150-35350	ナット(ヘンボンタイ		NUT	1			
27	24311-000160	Oリング 1A P 16.0		O-RING, 1A P-16.0	1			
28	26106-080202	ツバボルト 8×20		BOLT M 8×20 PLATED	3			
29	124160-39451	エアスイッチ(0.5KG		SWITCH, OIL PRESSURE	1			
29-1	124160-39450 (A=E36807)	エアスイッチ 0.5KG キボシ		SWITCH, OIL PRESSURE	1	N		
30	124160-39140	カンツギテボルト 10		BOLT 10, PIPE JOINT	1			
31	129550-39450	LO-T CMP		PIPE ASSY, LUB. OIL	1			
35	124550-59830 (A=E38541)	カンツギテボルト CMP 8		BOLT W/ SEAL WASHER	1	W		
36	124550-59820	・カンツギテボルト 8		・ BOLT 8, PIPE JOINT	1			
37	22190-080002	・シールワッシャ(コマル.ニトリル) 8		・ SEAL WASHER 8S	2			
37-1	22190-080002 (A=E38541)	・シールワッシャ(コマル.ニトリル) 8		・ SEAL WASHER 8S	1	K		
38	23414-100000	パッキン(マル 10		GASKET 10, ROUND	2			
39	171420-34800	ケンユボウ		DIPSTICK	1			
39-1	171420-34820 (A=E38541)	ケンユボウ		DIPSTICK, LUB. OIL	1	N		
40	121520-34810	ガイド(ケンユボウ		GUIDE, DIPSTICK	1			
41	22190-080002 (A=E38541)	シールワッシャ(コマル.ニトリル) 8		SEAL WASHER 8S	1	W		

Y00D6850  
4TNE88-(E)TB(1)

# 10 CWシステム COOLING WATER SYSTEM




CWシステム COOLING WATER SYSTEM

見出 REF NO.	部品番号 PARTS NO.	部品名 Description	数量 Q'ty	互換性 I R	備考
1	121750-49110	ツキテ(ミズヌキパイプ)	1		
2	129001-42002	CWポンプ CMP	1		
13	23871-030000	・ネジプラグ PT 3/8	2		
14	26106-080602	ツバボルト 8×60	3		
15	25132-003900	Vベルト(ロ-エッジ A39)	1		
16	129403-42380	Vプーリ(D=110)	1		
17	129436-44740	ファン D410	1		
18	121267-44760	スペーサ(ファン)	1		
19	26014-060302	ボルト(ヒラ+ワッシャー) 6×30	4		
20	129350-49560	サーモスタットカバー	1		
21	129795-49551	PK(サーモスタットカバー)(ノンアス)	1		
22	129155-49800	サーモスタット(71)	1		
23	129150-49811	PK(サーモスタットシタ)(ノンアス)	1		
24	129100-49840	PK(サーモスタットケース)	1		
25	26106-080202	ツバボルト 8×20	2		
26	121250-44901	サーモスイッチ(110)	1		
27	124465-44950	ワッシャー 16	1		
28	129150-49360	PK 10	1		
29	129001-42040	ジョイント(CW-P)	1		
30	24321-000300	Oリング 1A G 30.0	1		
31	26106-080162	ツバボルト 8×16	3		
32	119266-49350	サーモセンサー	1		
33	129100-42020	PK(CWポンプ)	1		
34	171064-44510	サブタンク CMP	1		
36	121450-44531	・キャップ	1		
37	124450-44560	・オージェ(オーバーフローパイプ)	1		
38	121470-44581	・ワッシャー	1		
39	23065-070225	・ヒールパイプ(ゴム) 7×225	1		
40	124450-44550	バンド(サブタンク)	1		
41	121256-44600	ブラケット(サブタンク) (12)	1		
42	23010-038000	ホースバンド 38	4		
42-1	23010-038000 (A=*1999.04)	ホースバンド 38	2	K	
43	129150-49100	サンボウコック CMP	1		
44	129150-49080	・ドレンコック	1		
48	119032-44502	ラジエーター	1		
49	119032-44550	・ラジエーターキャップ	1		
50	23010-050000 (A=*1999.04)	ホースバンド 50	2	W	
51	171091-44900	オイルクーラ	1		
52	129612-49010	CW-T(A)	1		
53	129612-49020	CW-T(B)	1		
53-1	129612-49021 (A=*1999.03)	CW-T(B)	1	N	
54	119032-44591	ワイヤネット	1	Z	

Y00D6850  
 4TNE88-(E)TB(1)


1 1 FOフンシャポンブ  
 FUEL INJECTION PUMP



見出 REF NO.	部品番号 PARTS NO.	部品名 FOFONSHAPONP ASSY	Description PUMP ASSY, F. INJEC.	数量 Q'ty	互換性 I R	備考 ミタ'シNO. 1、2 FOFONSHAPONP ASSY ニハコウモクNO. 12 ガバナヲ フクミヌ。
1	729612-51400	FOFONSHAPONP ASSY	PUMP ASSY, F. INJEC.	1	(1)	ミタ'シNO. 1、2 FOFONSHAPONP ASSY ニハコウモクNO. 12 ガバナヲ フクミヌ。
2	729612-51450	FOFONSHAPONP ASSY( ETB,ETB1)	PUMP ASSY, F. INJEC.( ETB,ETB1)	1	(1)	ミタ'シNO. 1、2 FOFONSHAPONP ASSY ニハコウモクNO. 12 ガバナヲ フクミヌ。
8	129155-51020	・ ウエコミホ'ルト(フィード'P	・ STUD, FEED PUMP	2		
9	129470-51040	・ カムシャフト	・ CAMSHAFT	1		
11	122710-51090	・ ハンゲ'ツキ	・ KEY	1		
12	129506-51100	・ プ'ランジ'ャ CMP	・ PLUNGER W/BARREL	4		
15	129155-51140	・ ビ'ン(ハ'レルマワリト'メ	・ PIN, BARREL LOCKING	4		
16	174307-51170	・ ハ'ネウケ A (プ'ランジ'ャ	・ RETAINER A	4		
17	129155-51180	・ プ'ランジ'ャハ'ネウケガ'ネ	・ SPRING SHOE, PLUNGER	4		
18	124950-51190	・ プ'ランジ'ャス'プリング	・ SPRING, PLUNGER	4		
19	129155-51200	・ タ'ペ ット シュ'ミ	・ TAPPET ASSY	4		
26	129155-51270	・ タ'ペ ットマワリト'メ	・ LOCKING, TAPPET	4		
27	129155-51280	・ O'リング (S6)	・ O-RING S6	4		
28	129100-51300	・ テ'リハ'リハ'ル'フ' CMP	・ VALVE W/SEAT, DELIV.	4		
31	129155-51320	・ ハ'ネ(テ'リハ'リハ'ル'フ'	・ SPRING, DELIV. VALVE	4		
32	129155-51340	・ トシュ'ウ'ヘ'ン'オ'サ'エ	・ GUARD, DELIVERY VALVE	4		
33	124550-51350	・ ハ'ッ'キン(テ'リハ'リ	・ GASKET, DELIVERY	4		
34	124550-51370	・ O'リング(テ'リハ'リ	・ O-RING, DELIVERY	4		
35	129155-51370	・ トシュ'ウ'ヘ'ン'スト'ッ'パ	・ STOPPER, VALVE	4		
36	129155-51380	・ マワリト'メ(A)	・ LOCKING (A)	2		
37	129155-51390	・ マワリト'メ(B)	・ LOCKING (B)	2		
38	129155-51400	・ テ'フレ'クタ	・ DEFLECTOR	1		
39	129155-51410	・ ト'メ'ホ'ルト(テ'フレ'クタ	・ CHECK BOLT, DEFLECTOR	1		
40	129155-51420	・ プ'ラ'ク (M16)	・ PLUG (M16)	1		
41	129155-51450	・ チョ'ウ'セ'イ'バ' ッ'キン CMP	・ SHIM SET, ADJUSTING	1		
46	129555-51500	・ コ'ント'ロ'ル'ラ'ック	・ RACK, CONTROL	1		
47	129155-51521	・ プ'ッ'シュ(ラ'ック	・ BUSH, RACK	1		
48	129155-51530	・ カ'ン'ザ'(ラ'ックホ'シ'ヨ'SP	・ SPACER, AUX. SPRING	1		
49	129155-51540	・ ト'メ'ウ(Cガ'タ	・ CIRCLIP	1		
50	129155-51550	・ コ'ント'ロ'ル'ビ'ニ'オン(B	・ PINION, CONTROL	4		
51	122117-51560	・ ト'メ'ネ'ジ'(FOガ'カ'ン'ハ'リ'ン	・ SCREW, PINION	4		
52	174307-51560	・ ビ'ニ'オン 774307-51490 A	・ PINION	4		
53	129155-51570	・ プ'ラ'ク (M12)	・ PLUG (M12)	1		
54	129155-51580	・ O'リング	・ O-RING	1		
55	129155-51591	・ ラ'ックホ'シ'ヨ'ハ'ネ	・ SPRING, RACK	1		
56	129155-51600	・ チョ'ウ'セ'イ'シ'ム CMP	・ SHIM PACK	4		
75	129555-51700	・ ソ'コ'フ'タ(ホ'ン'タイ	・ COVER	1		
76	129555-51710	・ PK(ホ'ン'タイ'ソ'コ'フ'タ	・ GASKET	1		
77	129555-51750	・ ソ'ク'フ'タ(ホ'ン'タイ	・ COVER, SIDE	1		
78	129555-51760	・ PK(ホ'ン'タイ'ソ'ク'フ'タ	・ GASKET	1		
79	129155-51790	・ ラ'ックマワリト'メ	・ LOCKING, RACK	1		
80	129156-51910	・ メ'イ'バ'ン(チュ'ウ'イ	・ LABEL, CAUTION	1		
81	129155-51930	・ カ'ン'ザ' T=3.25	・ SPACER T=3.25	1		
82	129155-51940	・ カ'ン'ザ' T=1.5	・ SPACER T=1.5	1		
83	22190-160002	・ シ'ール'ワッ'シャ(コ'マ'ル'ニ'トリ'ル) 16	・ SEAL WASHER 16S	1		
84	22217-050000	・ ハ'ネ'ザ'ガ'ネ 5	・ SPRING WASHER 5	2		
85	22217-060000	・ ハ'ネ'ザ'ガ'ネ 6	・ SPRING WASHER 6	2		
86	22351-050010	・ ス'プリ'ング'ビ'ン 5.0A x 10	・ SPRING PIN 5 x 10	2		
87	24101-063034	・ ハ'ア'リ'ング 6303	・ BALL BEARING	1		
88	24341-000160	・ O'リング 1A S 16.0	・ O-RING, 1A S-16.0	1		
89	26022-050102	・ ナ'ハ'コ'ネ'ジ'(ハ'ネ5 x 10	・ SCREW M 5 x 10	11		
90	26022-060162	・ ナ'ハ'コ'ネ'ジ'(ハ'ネ6 x 16	・ SCREW M 6 x 16	4		
91	26116-050302	・ ホ'ルト 5 x 30	・ BOLT M 5 x 30 PLATED	2		
92	26716-060002	・ ナ'ット 6	・ NUT 6	2		
93	129155-51050	・ タ'マ'シ'ク'ウ'ケ(ス'ラ'スト	・ BALL BEARING, THRUST	1		
94	129155-51060	・ カ'ム'シ'ク'サ'ホ'ー'ト(TB, TB1)	・ CAM SHAFT SUPPORT(TB, TB1)	1		
95	129208-54500	・ プ'ランジ'ャ CMP(ETB, ETB1)	・ FLANGER ASSY(ETB, ETB1)	1		
97	22217-120000	・ ハ'ネ'ザ'ガ'ネ 12(ETB, ETB1)	・ SPRING WASHER(ETB, ETB1)	1		
97	26716-120002	・ ナ'ット 12(ETB, ETB1)	・ NUT 12(ETB, ETB1)	1		
102	129155-52050	・ ハ'ッ'キン(トリ'ツ'ケ	・ GASKET	1		
103	129100-52200	・ ガ'バ'ー	・ COVER, BLIND	1		
104	129208-51060	・ サ'ホ'ー'ト(ハ'ア'リ'ング(ETB, ETB1)	・ SUPPORT(ETB, ETB1)	1		

Y00D6850  
4TNE88-(E)TB(1)

12 がバネ  
GOVERNOR



見出 REF NO.	部品番号 PARTS NO.	部品名	ガバナ GOVERNOR Description	数量 Q'ty	互換性 I R	備考
2	129155-51280	・ Oリング (S6)	・ O-RING S6	1		
5	129052-61050	・ パッキン(ガバナケース)	・ PACKING	1		
6	129052-61060	・ ガバナケースフタ	・ COVER	1		
7	129052-61070	・ パッキン(ケースフタ)	・ PACKING	1		
8	129155-61120	・ リンク L=30(マーク 0)	・ LINK L=30 (MARK 0)	1		(1) センタクシヨウフ・ピン: シキハ ヲキゴウ オ カクニノウエ チヨウモンネガ イラス。(イラス サンシヨウ)
9	129155-61130	・ リンク L=31(マーク 1)	・ LINK L=31 (MARK 1)	1		(1) センタクシヨウフ・ピン: シキハ ヲキゴウ オ カクニノウエ チヨウモンネガ イラス。(イラス サンシヨウ)
10	129155-61140	・ リンク L=30.5(マーク 05)	・ LINK L=30.5 (MARK 05)	1		(1) センタクシヨウフ・ピン: シキハ ヲキゴウ オ カクニノウエ チヨウモンネガ イラス。(イラス サンシヨウ)
11	129155-61201	・ ガバナウエイト CMP	・ WEIGHT ASSY, GOVERNOR	1		
15	129155-61341	・ スリーブ	・ SLEEVE	1		(2) センタクシヨウフ・ピン・* コノコウモク(ガバナ ASSY)ハ FIG.11 FOアソシヤホソノブ ニ フクミマス。
16	129100-61400	・ コントロ-ルバシク CMP	・ SHAFT ASSY, CONTROL	1		
19	129155-61430	・ カンザ(コントロールバシク)	・ SPACER, SHAFT	1		
23	129155-61450	・ カイテンセイゲンボルト	・ BOLT, REVOL. LIMIT	1		
24	129155-61460	・ アイドルセイゲンボルト	・ BOLT, IDLE. LIMIT	1		
25	129155-61480	・ カンザ COMP	・ SPACER ASSY	2		
30	129052-61390	・ シャフト(ガバナレバ)	・ SHAFT, GOV. LEVER	1		
31	129052-61500	・ ガバナレバ - CMP	・ LEVER ASSY, GOVERNOR	1		
32	174307-51700	・ シムセット(チヨウセイヨウ)	・ SHIM SET	2		
46	129052-61540	・ セットスプリング (Gレバ -)	・ SPRING	1		
56	119660-61901	・ リテーナ	・ RETAINER, SHAFT	1		
57	129155-61950	・ ザツキ B(フウイン)	・ BOLT, WASHER BASED	1		
58	124550-66370	・ トメナット 6 (ツツリアナ)	・ LOCK NUT M 6	1		
59	22117-040000	・ ザガネ(コマル 4)	・ WASHER 4	1		
60	22190-060002	・ シールワッシャ(コマル.ニトリル) 6	・ SEAL WASHER 6S	1		
60-1	22190-060003	・ シールワッシャ(マル 6)	・ WASHER, SEAL 6	1	N	
61	22190-100002	・ シールワッシャ(コマル.ニトリル) 10	・ SEAL WASHER 10S	1		
62	22190-120002	・ シールワッシャ(コマル.12)	・ SEAL WASHER 12	2		
63	22287-120000	・ スーパーワッシャ(ガネ 12)	・ WASHER 12	1		
64	22372-040000	・ スナップピンJASO 4	・ SNAP PIN 4	2		
65	23887-100002	・ 6カクプラグ 10	・ PLUG 10	1		
66	24341-000280	・ Oリング 1A S 28.0	・ O-RING, 1A S-28.0	1		
67	26106-060102	・ ツバボルト M 6×10	・ BOLT M 6×10 PLATED	1		
68	26106-060102	・ ツバボルト M 6×10	・ BOLT M 6×10 PLATED	1		
69	26106-060102	・ ツバボルト M 6×10	・ BOLT M 6×10 PLATED	4		
70	26106-060142	・ ツバボルト 6×14	・ BOLT M 6×14 PLATED	2		
71	26106-060202	・ ツバボルト 6×20	・ BOLT M 6×20 PLATED	6		
72	26756-060002	・ トメナット 6	・ LOCK NUT 6	1		
73	26776-120002	・ トメナット(ホソ) 12	・ LOCK NUT M12 PLATD	2		
74	26366-080002	・ ツバツキナット 8	・ NUT M 8	1		
75	129100-61440	・ コントロ-ルバ -	・ LEVER, CONTROL	1		
76	129100-61650	・ フウウリヨウハネ	・ SPRING, FUEL CONTROL	1		
77	129489-61700	・ ガバナスプリング	・ SPRING, GOVERNOR	1		
78	119285-77951	・ ソレノイド	・ SOLENOID	1		
79	26687-120002	・ フクロナット(タカホソ) 12(TB(1))	・ CAP NUT M12(TB(1))	1		
80	129100-61930	・ フクロナット(ETB(1))	・ NUT, CAP(ETB(1))	1		
81	129132-61550	・ アンゲライヒ CMP	・ ANGLEICH ASSY	1		
105	129155-61350	・ スリーブ (チヨウセイヨウ)	・ SLEEVE	1		(2) センタクシヨウフ・ピン・* コノコウモク(ガバナ ASSY)ハ FIG.11 FOアソシヤホソノブ ニ フクミマス。
106	129155-61360	・ スリーブ (チヨウセイヨウ)	・ SLEEVE	1		(2) センタクシヨウフ・ピン・* コノコウモク(ガバナ ASSY)ハ FIG.11 FOアソシヤホソノブ ニ フクミマス。
107	129155-61830	・ Oリング (S10)	・ O-RING S10	1		
108	129155-61470	・ FOセイゲンボルト	・ BOLT, FUEL CONTROL	1		

Y00D6850  
 4TNE88- (E) TB (1)

13 FOアソシヤベン  
 FUEL INJECTION VALVE

