

How to read this Parts Catalog.

Product Takeuchi TB145 Mini Compact Excavator Parts Manual (Book No.BK3Z009)

Full Download: <https://www.aresairmanual.com/downloads/takeuchi-tb145-mini-compact-excavator-parts-manualbook-no-bk3z009/>

REF NO. PARTS NO. 部品番号 Description Q'ty 数量 互換性 備考

ENGINE
4TNE88-TB(1)
S/N 14510004-14510111
4TNE88-ETB(1)
S/N 14510112-14513260
4TNE88-ETBZ
2006.10.31

Sample of manual. Download All 90 pages at:

<https://www.aresairmanual.com/downloads/takeuchi-tb145-mini-compact-excavator-parts-manualbook-no-bk3z009/>

How to read this Parts Catalog.

1. Parts mentioned in this Parts Catalog may not necessarily be standard equipping parts.
2. Parts change may be made without prior notice.
3. Form of this Parts Catalog.

Y00F2161 (1997.09.01)

Fig.29 燃料噴射ポンプ(ブースコン用) FUEL INJECTION PUMP (W/BOOST)

見出 REF.No.	レベル LEV.	部品番号 PARTS No.	部品名	DESCRIPTION	個数 (Qty)						I	R	K
					A	B	C	D	E	F			
1	•	729595-51390	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1			
1-1	•	729595-51391	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1			
3	••	26022-060162	ナメネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9	9			
1 3-1	••	26022-060162	ナメネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4	4			K
4	••	129470-51040	カムシャフト	CAMSHAFT	1	1	1	1	1	1			
5	••	122710-51050	ベアリング*ローラ	BEARING, ROLLER	2	2	2	2	2	2			
6	••	129470-51060	ベアリング*ガイ	RETAINER	1	1	1	1	1	1			

備考
 (1) ブースコンベンセータ付き. 4JH-DT, 4JH-DTZとも E/# 00155 までは、特別注文仕様とします

Remarks
 (1) BOOST COMPENSATOR TYPE. OPTIONAL PART, TO E/# 00155, (4JH - DT, 4JH - DTZ)

① Ref. No.

The Ref. No. in the list may not be accord with the Ref. No. on illustration.

(Ex.) Illustration No. List head No. → 1 - 1 (After change)

1 1 (Befor change)

When interchangeable symbol N, R, and K, illustrations for new parts are sometimes omitted.

② Lev.(Level)

Indication and Meaning of Level

Level : Hereunder is given the relation among the number of dots(•), the level and the nominal parent- child relationship.

-Parent parts(Assembly parts)
-Child parts included in "••" (Semi- Assembly parts, component parts of Assembly parts.)
-Child parts included in "•••", Grand- child parts in terms of "••".
(Component parts of Semi- Assembly parts.)

Note) A parts of non- sale parts are illustrated but not listed.





③ Change Mark

Change Mark "I" is given to the part for which a design change was made at this time.

The design change was not shown in the last published Parts Catalog.

④ Interchangeability Mark

In the case where a part change took place, one of the following interchangeability marks is indicated for that part.

Symbol	interchangeability	Contents note
N	Old  New	New Part is interchangeable for Old Part but not interchangeable conversely.
Q	Old  New	New Part is not interchangeable for Old Part but interchangeable conversely.
R	Old  New	New Part is interchangeable for Old Part and vice versa.
S	Old  New	New Part is not interchangeable for Old Part and vice versa.
W		Part newly added.
Z		Part discontinued.
F		Not interchangeable single part but interchangeable by set of the related parts.
K		Changed only in quantity used.

⑤ Effective Machine No.

When a part is changed, Effective Machine No. of a Model for which the part is applicable is indication in each column of (A)- (F).

Product Symbol	Product No.	Product Symbol	Product No.
C	Clutch No. Compressor No.	M	Machine No.
D	Drive No.	T	Tractor No.
E	Engine No.	Note1) ※	Date

Note1) Date may follow the symbol in some cases. (Ex.) ※ 1996.01

Note2) As far as engine models shown by "XXX" are concerned, the modification of the parts could not be predicted or the engine models themselves could not be identified.

Note3) (A=E/#00185) means that the design change on the part has been effective for the model at the column (A) (in this case, for 4JH- DT) on and from E/# (Engine Serial Number) 00185.

⑥ Remarks Mark

Figures or alphabets (Symbols) are entered in the remark column.


The comments(remarks) on the pertinent parts are indicated in the lower part of the list by the same symbols as those stated above.

 *
 * 目次 CONTENTS (PC NO.Y00D6852) *
 *

コウモクNO. GROUP	コウモク メイ	GROUP NAME	ロケ-ション LOCATION
1	シリクタ`フ`ロツク	CYLINDER BLOCK	1A02
2	キ`ヤケーヌ	GEAR HOUSING	1A03
3	フライホイルハウシ`ンク` & オイルパ`ン	FLYWHEEL HOUSING & OIL SUMP	1A04
4	シリクタ`ヘツト` & ホ`ンネット	CYLINDER HEAD & BONNET	1A05
5	キユウキマニホルト` & エアクリーナ	SUCTION MANIFOLD & AIR CLEANER	1A06
6	ハイキマニホルト` & サイレンサ	EXHAUST MANIFOLD & SILENCER	1A07
7	カムシャフト & クト`ウキ`ヤ	CAMSHAFT & DRIVING GEAR	1A08
8	クランクシャフト & ピ`ストン	CRANKSHAFT & PISTON	1A09
9	L0システム	LUB.OIL SYSTEM	1A10
10	CWシステム	COOLING WATER SYSTEM	1A11
11	F0フンシヤホ`ンフ`	FUEL INJECTION PUMP	1A13
12	カ`ハ`ナ	GOVERNOR	1A15
13	F0フンシヤヘ`ン	FUEL INJECTION VALVE	1B01
14	F0ハ`イフ`	FUEL LINE	1B02
15	スターテインク`モータ	STARTING MOTOR	1B03
16	シ`エネレータ	GENERATOR	1B04
17	ハ`ツキンセット	GASKET SET	1B06

Y00D6852
4TNE88-(E)TB(1,Z)


↑ シリンダブロック
↑ CYLINDER BLOCK



見出 REF NO.	部品番号 PARTS NO.	部品名	シリンダブロック CYLINDER BLOCK Description	数量 Q'ty	互換性 I R	備考
1	729407-01561	シリンダブロック CMP	BLOCK ASSY, CYLINDER	1		
5	124160-01910	・ プラグ PT1/4	・ PLUG PT1/4	2		
6	124160-01910	・ プラグ PT1/4	・ PLUG PT1/4	1		
7	171051-01921	・ プラグ NPTF1	・ PLUG	1		
8	129150-02020	・ ボルト(メタルキャップ)	・ BOLT, METAL CAP	10		
11	23871-010000	・ ネジプラグ PT 1/8	・ PLUG PT1/8, SCREW	1		
11- 1	23876-010000	・ ネジプラグ PT1/8 (ALL=EXXX)	・ PLUG PT1/8, SCREW	1	N	
12	27231-500000	・ サラカタブラグ 50	・ PLUG 50	1		
12- 1	129001-01250	・ サラカタブラグ 50 (ALL=EXXX)	・ PLUG 50	1	N	
13	27241-120000	・ ワンカタブラグ 12	・ PLUG 12	2		
14	27241-300000	・ ワンカタブラグ 30	・ PLUG 30	8		
15	23871-030000	・ ネジプラグ PT 3/8	・ PLUG PT3/8, SCREW	1		
15- 1	23876-030000	・ ネジプラグ PT 3/8 (ALL=EXXX)	・ PLUG PT3/8, SCREW	1	N	
24A	129001-02930	・ メインメタルCMP (STDホヨウピン) (ALL=EXXX)	・ MAIN BEARING SET	5	W	(3) ホヨウピンデス
25	129150-02930	・ スラストメタル	・ METAL, THRUST	2		
28	129795-02411	・ プッシュ (A)	・ BUSH, CAMSHAFT	1		
29	26106-080162	ツバボルト 8X 16	BOLT M 8X 16 PLATED	2		
30	129150-01200	ヘッドボルト	STUD, CYL. HEAD	18		
31	129407-01340	ヘッドガスケット	GASKET, CYL. HEAD	1		
32	129150-02870	メインメタル U.S=0.25	MAIN METAL US=0.25	5		(1) アンダーサイズ (U.S=0.25) プリンデス
35	129150-02940	スラストメタル 0.25(2ヶ=1セット)	METAL, THRUST. 25(2PIE	1		(2) オーバーサイズ (O.S=0.25) プリンデス

Y00D6852
4TNE88-(E)TB(1,Z)


2 ギヤケース
GEAR HOUSING



見出 REF NO.	部品番号 PARTS NO.	ギヤース 部品名	GEAR HOUSING Description	数量 Q'ty	互換性 I R	備考
1	719810-01500	ギヤース シュミ	HOUSING ASSY, GEAR	1		
4	129795-01800	・ オイルシール	・ SEAL, OIL	1		
5	129400-01520	フランジ (ギヤース)	FLANGE, GEARS HOUSING	1		
6	121450-01560	ウエコミボルト8X22	STUD M 8X 22	3		
7	124160-01751	フタ(ホコウ)	COVER, FILLER	1		
8	124240-01871	フタ(HO-P)	COVER, HO-P	1		
9	124240-01883 (ALL=EXXX)	パッキン(HO-P)(ノンアス)	GASKET, (NON-ASB.)	1	Z	
10	129795-01950	パイプノック	PIPE, KNOCK L=18	2		
11	129150-03100	プレート(フレザパイプ)	RETAINER	1		
12	121850-51960	Oリング (FOPトリック)	O-RING, F.I.PUMP	1		
13	24311-000160	Oリング 1A P 16.0	O-RING 1A P-16.0	2		
13- 1	119609-32040 (TB(1)=*2001. 11) (ETB=E68438, ETB1=E70363) (ETBZ=E69218)	Oリング P16	O-RING P16	2	R	
14	24311-000320	Oリング 1A P 32.0	O-RING 1A P-32.0	1		
15	26106-080122	ツバボルト 8X 12	BOLT M 8X 12 PLATED	4		
16	26106-080162	ツバボルト 8X 16	BOLT M 8X 16 PLATED	1		
17	26106-080162	ツバボルト 8X 16	BOLT M 8X 16 PLATED	3		
18	26106-080202	ツバボルト 8X 20	BOLT M 8X 20 PLATED	2		
19	26106-080452	ツバボルト 8X 45	BOLT M 8X 45 PLATED	6		
20	26106-080552	ツバボルト 8X 55	BOLT M 8X 55 PLATED	3		
21	129001-91840	ツバボルトM8X85(シトウウミ)	BOLT M 8X 85 PLATED	4		
21- 1	129001-91841 (TB=E39207 TB1=*2000.03) (ETB=E51081 ETB1=E51218)	ツバボルトM8X85(シトウウミ)	BOLT M 8X 85 PLATED	4	R	
22	26366-080002	ツバツキナット 8	NUT M 8	3		
22- 1	26306-080002 (ALL=EXXX)	ツバツキナット(UBS 8)	NUT	3	N	
23	22190-080002	シールワッシャ(コマルニトリル) 8	SEAL WASHER 8S	4		
24	22190-080002	シールワッシャ(コマルニトリル) 8	SEAL WASHER 8S	1		
25	121023-01550	フタ(タクムタ)	COVER, BLIND	1		
26	24341-000240	Oリング 1A S 24.0	O-RING 1A S-24.0	1		
27	26106-060162	ツバボルト 6X 16	BOLT M 6X 16 PLATED	2		
28	977770-1207F	シリコンゲイエキシヨウガスケツト	GASKET, LIQUID	1		(1) オプションフビンデス
29	171031-11741 (TB=E40680)	ホコウパイプ	PIPE	1	Z	
30	24311-000320 (TB=E40680)	Oリング 1A P 32.0	O-RING 1A P-32.0	1	Z	
31	171031-11741 (ETBZ=FROME 1ST)	パイプ	PIPE	1	W	
32	24311-000320 (ETBZ=FROME 1ST)	Oリング 1A P 32.0	O-RING 1A P-32.0	1	W	

Y00D6852
4TNE88-(E)TB(1,Z)

3 フライホイールハウジング & オイルパン FLYWHEEL HOUSING & OIL SUMP




Reference Fig03

フライホイールハウジング & オイルパン FLYWHEEL HOUSING & OIL SUMP

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	129100-01580	ハイコウピン 8X16	PARALLEL PIN 8X16	2		
2	129612-01600	フライホイールハウジング	HOUSING, FLYWHEEL	1		
3	119620-01750	キャップ (ホイールカバー)	CAP, FLYWHEEL COVER	1		
4	26206-100252	ボルト 10X 25	BOLT M10X25	6		
5	26206-100302	ボルト 10X 30	BOLT M10X30	4		
6	729402-01540	オイルパンシタミ (アサガタ)	SUMP ASSY, LUB OIL	1		
6- 1	129400-01770 (TB=E38541)	オイルパン(アサガタ) CMP	SUMP ASSY, LUB. OIL	1	N	
7	119640-01640	・ ドレノフ ラグ M22	・ DRAIN PLUG M22	1		
7- 1	171301-01640 (TB=E38541)	・ プ ラグ (22)	・ PLUG M22	1	S	
9	22190-220002	・ シールワッシャ(コマル.ニトリル)22	・ SEAL WASHER 22S	1		
9- 1	24341-000250 (TB=E38541)	・ Oリング 1A S 25.0	・ O-RING 1A S-25.0	1	S	
10	129400-01730	オイルパンカンザ (フ ラック:12)	SPACER, OIL SUMP	1		
12	26106-080162	ツバ ボルト 8X 16	BOLT M 8X 16 PLATED	4		
13	26106-080252	ツバ ボルト 8X 25	BOLT M 8X 25 PLATED	2		
14	26106-080452	ツバ ボルト 8X 45	BOLT M 8X 45 PLATED	24		
15	129100-01580	ハイコウピン 8X16	PARALLEL PIN 8X16	2		
16	129100-01640	オイルシール CMP	CASE ASSY, OIL SEAL	1		
18	129795-01780	・ オイルシール	・ SEAL OIL	1		
19	129486-01670	ツバ ボルト 8X30	BOLT M8X30, COLLAR HD	6		
20	26106-080352	ツバ ボルト 8X 35	BOLT M 8X 35 PLATED	3		
21	977770-1207F	シリコンゲイ エキシ ヨウカ スケット	GASKET, LIQUID	1		(1) オプション フレンドレス

Y00D6852
4TNE88-(E)TB(1,Z)

4 シリンダヘッド & ボンネット CYLINDER HEAD & BONNET




Reference Fig04

シリンダヘッド & ボンネット CYLINDER HEAD & BONNET

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I	R	備考
1	171350-03090	ブレザバイ L900	PIPE, BREATHER	1			
2	124736-07900	ツリアケカナク	LIFTER, ENGINE	2			
3	26106-080142	ツバボルト M 8X 14	BOLT M 8X 14 PLATED	4			
4	129407-11700	シリンダヘッド CMP	HEAD ASSY, CYLINDER	1			
8	120130-11860	バルブガイド (SUC)	GUIDE, VALVE	4			(1) ホヨクブヒンデス
10	129150-11810	ハイキバネガイド	GUIDE, VALVE	4			(1) ホヨクブヒンデス
12	26216-060202	ウエコミボルト 6X 20	STUD M 6X 20 PLATED	8			
13	27241-400000	ワツガクプラグ 40	PLUG 40	2			
14	129100-11100	バルブ (INT)	VALVE, INTAKE	4			
15	129100-11110	バルブ (EXH)	VALVE, EXHAUST	4			
16	129795-11120	バネ	SPRING, VALVE	8			
17	129795-11180	オサエ (バネ)	RETAINER, SPRING	8			
18	27310-080000	コツタ (ステム 8)	COTTER	8			
19	121400-11340	バルブステムシール	SEAL, VALVE STEM	4			
20	124460-11340	バルブステムシール	SEAL, VALVE STEM	4			
21	129150-11370	キャップ (バネ)	CAP, VALVE	8			
22	119625-11900	オサエ	RETAINER	4			
23	119625-11880	ノズルシート	SEAT, NOZZLE	4			
24	119625-11870	プロテクタ (ノズル)	PROTECTOR, NOZZLE	4			
25	22351-060012	スプリングピン 6.0AX 12	SPRING PIN 6X12	2			
26	26366-060002	ツバナット 6	NUT M 6	8			
27	129500-11240	バネワシヤフト CMP	SHAFT, ROCKER ARM	1			
28	129155-11260	バネワシヤフト (A)	SUPPORT, ROCKER ARM	2			
29	129155-11270	バネワシヤフト (B)	SUPPORT, ROCKER ARM	3			
30	129150-11280	バネワシヤフトクバネ	SPRING	4			
31	129550-11290	バネワシヤフト (プラグツキ)	SHAFT, ROCKER ARM	1			
34	129100-11650	バネワシヤフト KIT	ARM ASSY, ROCKER	8			
35	129150-11230	アジヤスタ (バネ)	SCREW, VALVE	8			
37	129150-11750	ナット M8XP1.0	NUT M8XP1.0	8			
38	26226-080182	ウエコミボルト (2D 8X 18)	STUD M 8X 18 PLATED	3			
38-1	119802-11280	ウエコミボルト	STUD	3		R	
	(ALL=EXXX)						
39	26756-080002	トメナット 8	LOCK NUT M 8 PLATED	3			
40	26106-080252	ツバボルト 8X 25	BOLT M 8X 25 PLATED	3			
41	26106-080502	ツバボルト 8X 50	BOLT M 8X 50 PLATED	7			
42	129400-11350	ボンネット CMP	BONNET ASSY	1			
43	124160-01751	フタ (ホココウ)	COVER, FILLER	1			
44	129150-03020	ブリザフタ	COVER, BREATHER	1			
45	129150-03070	バツフル (ブリザ)	BAFFLE, BREATHER	1			
46	129150-03080	シヤマイタ	PLATE, SHELTER	1			
49	129550-11310	バツキ (バネワシヤフト)	GASKET, BONNET	1			
50	24311-000320	オリツク 1A P 32.0	O-RING 1A P-32.0	1			
51	24341-000500	オリツク 1A S 50.0	O-RING 1A S-50.0	1			
52	26106-080162	ツバボルト 8X 16	BOLT M 8X 16 PLATED	2			
61	124160-11360	トツテ	KNOB	3			
62	24311-000120	オリツク 1A P 12.0	O-RING 1A P 12.0	3			

Y00D6852
4TNE88-(E)TB(1,Z)


5 キョウキマニホールド & エアクリーナ SUCTION MANIFOLD & AIR CLEANER



見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	129407-12100	マニホルド (INT	MAINFOLD, INTAKE	1		
3	129407-12110	PK(マニホルド	GASKET, INT. MANOFOLD	1		
4	26106-080202	ツバボルト 8X 20	BOLT M 8X 20 PLATED	6		
5	26106-080802	ツバボルト 8X 80	BOLT M 8X 80 PLATED	1		
6	119910-12210	キョウキホ-ス	PIPE, INTAKE	1		
7	119910-12560	ブラケット, エアクリ-ナ	BRACKET, AIRCLEANER	1		
8	23000-060000	ホ-スクリツプ 60(TB)	CLAMP 6(TB)	2		
8- 1	23000-060000 (TB=E37950)	ホ-スクリツプ 60	CLAMP 60	6	K	
8- 2	23000-060000 (TB=E39207 TB1=E*1999-08) (ETB=E44619 ETB1=E44920)	ホ-スクリツプ 60	CLAMP 60	5	K	
8-3	23000-060000 (ETBZ=E69947)	ホ-スクリツプ 60	CLAMP 60	2	K	
9	26013-080222	ボルト(バネ 8X 22	BOLT M 8X 22	4		
10	26013-080222	ボルト(バネ 8X 22	BOLT M 8X 22	2		
11	129100-77500	ヒ-タ- (エア-	HEATER, AIR	1		
12	129100-77510	バツキン(エア-ヒ-タ-	GASKET, AIR HEATER	1		
13	129150-77511	PK(エアヒ-タ) (ノンアス)	GASKET, (NON-ASB.)	1		
14	171340-77520	ベント	BEND	1		
15	26106-080402	ツバボルト 8X 40	BOLT M 8X 40 PLATED	2		
16	26106-080802	ツバボルト 8X 80	BOLT M 8X 80 PLATED	2		
17	121855-12060 (TB=E37950)	キョウキサイレンサ-	SILENCER, INLET	1	W	
18	119883-12210 (TB=E37950)	キョウキホ-ス	HOSE, AIR INTAKE	1	W	
19	23000-060000	ホ-スクリツプ 60	CLAMP 60	2		
20	129612-12680	エアクリ-ナ CMP	AIR CLEANER	1		
20- 1	129612-12681 (TB(1)=*2001. 11) (ETB=E68438 ETB1=E70363) (ETBZ=E69218)	エアクリ-ナ CMP	CLEANER ASSY, AIR	1	N	
21	129612-12560	・ エルボ (インタ-ク	・ RING	1		
22	23000-060000	・ ホ-スクリツプ 60	・ CLAMP 60	1		
23	129612-12690	・ エアクリ-ナ CMP	・ CLEANER ASSY, AIR	1		
23- 1	129612-12691 (TB(1)=*2001. 11) (ETB=E68438 ETB1=E70363) (ETBZ=E69218)	・ エアクリ-ナCMP	・ CLEANER ASSY, AIR	1	N	
24	119910-12510	・ ・ ボディ	・ ・ BODY, AIR CLEANER	1		
25	119808-12520	・ ・ エレメント(アウト	・ ・ ELEMENT, OUTER	1		
26	119866-12541	・ ・ カバ-ASSY	・ ・ COVER ASSY	1		
27	119808-12540	・ ・ アンロ-タ'バ'ルブ	・ ・ VALVE, UNLOADER	1		
28	119140-12680	・ ・ インジケ-タ (テンキシキ	・ ・ INDICATOR	1		
28- 1	129953-12620 (TB(1)=*2001. 11) (ETB=E68438 ETB1=E70363) (ETBZ=E69218)	・ ・ インジケ-タ CMP(ウエ	・ ・ INDICATOR ASSY	1	N	
29	129259-12570	・ ・ リンク	・ ・ RING	1		
30	129612-12241 (TB=E37950)	キョウキエンチヨウカン	PIPE, EXTENSION	1	W	
31	129612-12250 (TB=E37950)	・ キョウキエンチヨウカン	・ PIPE, EXTENSION	1	W	
32	129612-12260 (TB=E37950)	・ キョウキエンチヨウカン	・ PIPE, EXTENSION	1	W	
33	129132-12210	キョウキエンチヨウカン	PIPE, AIR INTAKE	1		
33- 1	129612-12240 (ALL=EXXX)	キョウキエンチヨウカン	PIPE, AIR INTAKE	1	N	
33- 2	129612-12240 (TB=E37950)	キョウキエンチヨウカン	PIPE, AIR INTAKE	1	Z	
34	119869-12220 (TB=E39207)	キョウキエンチヨウカン B	PIPE, EXTENSION	1		
35	119869-12220 (ETBZ=E69974)	キョウキエンチヨウカン B	PIPE, EXTENSION	1	Z	
36	129612-12270	キョウキエンチヨウカン	PIPE, EXTENSION	1		

Y00D6852
 4TNE88-(E)TB(1,Z)


6 ハイキマニホールド & サイレンサ
 EXHAUST MANIFOLD & SILENCER



見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	129402-13101	マニホールド (EXH)	MANIFOLD, EXHAUST	1		
2	129550-13110	PK (EXHマニホールド)	GASKET, EXH.MANIFOLD	1		
3	26366-080002	ツバナット 8	NUT M 8	2		
3- 1	26306-080002 (ALL=EXXX)	ツバナット (UBS) 8	NUT	2	N	
4	26106-080802	ツバナット 8X 80	BOLT M 8X 80 PLATED	6		
4- 1	123900-13630 (TB(1)=*2002. 09) (ETB=E75967 ETB1=E75276) (ETBZ=E75948)	ツバナット 80	BOLT 8X80	6	R	
5	119131-18320	ウエコミナット M8*22	BOLT M 8X 22	4		
6	26216-080802	ウエコミナット 8X 80	STUD M 8X 80 PLATED	2		
6- 1	123900-13610 (TB(1)=*2002. 09) (ETB=E75967 ETB1=E75276) (ETBZ=E75948)	ウエコミナット 8X80	STUD BOLT M 8X 80	2	R	
7	129400-13201	ガスケット (サイレンサ ノアス)	GASKET, (NON-ASB.)	1		
8	129612-13590	サイレンサ	SILENCER	1		
8- 1	129612-13610 (TB=E37950)	サイレンサ	SILENCER	1	N	
8- 2	129612-13611 ((E)TB=E38023)	サイレンサ	SILENCER	1	N	
9	129612-13640	サイレンサ ((E)TB1)	SILENCER((E)TB1)	1		
10	129612-13620 (TB=E37950)	フンシユツコウ (サイレンサ)	TAIL PIPE	1	W	
11	129612-13630	フンシユツコウ ((E)TB1)	TAIL PIPE((E)TB1)			
12	121120-13590	クランプ (フンシユツコウ)	CLAMP	1		
14	22137-100000	・ サガネ (ミガキ) 10	・ WASHER 10, POLISHED	1		
15	22217-100000	・ ハネサガネ 10	・ SPRING WASHER 10	1		
16	26106-100652	・ ツバナット 10X 65	・ BOLT M10X 65 PLATED	1		
17	26706-100002	・ ナット 10	・ NUT M10	1		
18	26106-100162	ツバナット 10X 16	BOLT M10X 16 PLATED	4		
19	26366-080002	ツバナット 8	NUT M 8	4		
19- 1	26306-080002 (ALL=EXXX)	ツバナット (UBS) 8	NUT	4	N	
20	103954-13201 (TB=E38009)	ガスケット (サイレンサ)	GASKET, SILENCER	1	Z	
21	171091-13670 (TB=E37950)	バンド	BAND	2	Z	
22	129612-13680 (TB=E37950)	ステー (サイレンサ)	BRACKET, SILENCER	2	Z	
23	26106-080352 (TB=E37950)	ツバナット 8X 35	BOLT M 8X 35 PLATED	4	Z	
24	170124-13500	サイレンサ	SILENCER	1		
25	129400-13201	ガスケット	GASKET	4		
26	26366-080002 (ETBZ=E69974)	ツバナット 8	NUT M 8	8	Z	

Y00D6852
 4TNE88-(E)TB(1,Z)


7 カムシャフト & クドウギヤ
 CAMSHAFT & DRIVING GEAR



		カムシャフト & クロウキヤ CAMSHAFT & DRIVING GEAR		数量 Q'ty	互換性		備考
見出 REF NO.	部品番号 PARTS NO.	部品名	Description		I	R	
1	129150-14200	タペット	TAPPET	8			
2	129150-14400	プッシュロッド	ROD, PUSH	8			
3	729402-14580	カムシャフト	CAMSHAFT ASSY	1			
4	129150-02450	・ スラストメタル(カム)	・ METAL, THRUST(CAM)	1			
7	129150-14101	・ カムギヤ- D30	・ GEAR, CAMSHAFT	1			
8	22512-070140	・ フォイキー- 7X14	・ KEY 7X 14	1			
9	129100-25061	シャフト(アイドル)	SHAFT, IDLE GEAR	1			
10	129150-25101	アイドルギヤ CMP	GEAR W/BUSH	1			
13	129150-25920	・ プッシュ(ホヨウビン)	・ BUSH, IDLE GEAR	1			(1) ホヨウビン
14	26106-080452	ツバボルト 8X 45	BOLT M 8X 45 PLATED	2			
15	129150-25900	ギヤ (FI-P(TB, TB1))	GEAR, FUEL INJ. PUMP(TB, TB1)	1			
16	129150-25930	ギヤ (FI-P)	GEAR, FUEL INJ. PUMP	1			
16	129150-25931 (ETB=E43700 ETB1=E43720)	ギヤ (FI-P)	GEAR, FUEL INJ. PUMP	1			
17	22217-120000	ハネザカネ 12	SPRING WASHER	1			
18	26716-120002	ナット 12	NUT 12	1			
	129150-25301	ボルト(ETB, ETB1)	BOLT(ETB, ETB1)	4			

Y00D6852
4TNE88-(E)TB(1,Z)

クランクシャフト & ピストン
CRANKSHAFT & PISTON




クランクシャフト & ピストン CRANKSHAFT & PISTON

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	129407-21000	クランクシャフト CMP	CRANKSHAFT ASSY	1		
1- 1	129407-21100 (TB=E39207 TB1=*2000.6) (ETB=E53291 TB1=E54367)	クランクシャフト CMP	CRANKSHAFT ASSY	1	S	
2	129100-01580	・ ヘイコウピン 8X16	・ PARALLEL PIN 8X16	1		
5	129150-21200	・ クランクギヤ	・ GEAR, CRANKSHAFT	1		
6	22512-070140	・ フェザ-キ- 7X14	・ KEY 7X 14	1		
8	22351-040010	スプリングピン 4.0AX 10	SPRING PIN 4X10	1		
9	129466-21650	Vプ-リ(クランクシャフト)	PULLEY, CRANKSHAFT	1		
9- 1	129550-21650 (TB=E39207)	Vプ-リ(クランクシャフト)	V-PULLEY, CRANKSHAFT	1	N	
10	129795-21661	ザガネ	WASHER	1		
11	121850-21680	ボルト(Vプ-リ)	BOLT, V-PULLEY	1		
12	121111-21501	ボルト(フライホイール)	BOLT, FLYWHEEL	6		
13	129612-21570	フライホイール CMP	FLYWHEEL ASSY	1		
16	119865-21600	・ リングギヤ	・ GEAR, RING	1		
17	129001-22081	ピストン CMP	PISTON W/RINGS	4		
19	129001-22500	・ ピストンリング SET	・ RING SET, PISTON	4		
23	129202-22300	ピストンピン	PIN,PISTON	4		
24	22252-000260	トメワC(アナ 26)	CIRCLIP 26	8		
25	729402-23100	レンセツホウウツクミ	ROD ASSY, CONNECTING	4		
29	129100-23910	・ ピストンピンメタル	・ BUSH, PISTON PIN	4		(1) ホヨクブヒンデス
30	121550-23200	・ ロットボルト	・ BOLT, CONNECTING ROD	8		
31	129150-23600	・ ベアリング(クランクピン)	・ BEARING, CRANKPIN	4		
33	129001-22901	ピストン CMP 0.S=0.25	PISTON W/RING OS=.25	4		(2) オーバ-サイズ(0.S=0.25)ブヒンデ
35	129001-22950	・ リングセット 0.S=0.25	・ RING SET 0.S=0.25	4		(2) オーバ-サイズ(0.S=0.25)ブヒンデ
39	129150-23610	メタル(ピン)U.S=0.25	METAL.PIN US=0.25	4		(3) アンダ-サイズ(U.S=0.25)ブヒンデ
41	171301-21650	Vプ-リ(クランクシャフト)	V-PULLEY, CRANKSHAFT	1		

Y00D6852
4TNE88-(E)TB(1,Z)


9 LOシステム
LUB.OIL SYSTEM



見出 REF NO.	部品番号 PARTS NO.	LOシステム	LUB.OIL SYSTEM	数量 Q'ty	互換性		備考
		部品名	Description		I	R	
1	129407-32000	LO-P CMP	PUMP ASSY, LUB. OIL	1			
14	129150-32020	PK(LO-P	GASKET, L.O. PUMP	1			
15	26450-060252	6カクアナボルト 6X 25	BOLT M 6X 25	4			
16	129150-35041	PK(キユウニユウカン) (ノンアス)	GASKET, (NON-ASB.)	1			
17	129150-35091	LOキユウニユウカン CMP	PIPE ASSY, OIL INLET	1			
17- 1	129436-35091 (TB=E38541)	LOキユウニユウカン CMP	PIPE ASSY, LUB. OIL	1	N		
21	26106-080352	ツバボルト 8X 35	BOLT M 8X 35 PLATED	2			
22	129150-35101	ブラケット	BRACKET, STRAINER	1			
23	129150-35111	PK(フィルタブラケット) (ノンアス)	GASKET, (NON-ASB.)	1			
24	129150-35152	フィルタ D80XL80	FILTER 80X80L	1			
25	129001-35300	ボルト, LOフィルタ	BOLT, LUB.O. STRAINER	1			
26	129150-35350	ナット(ヘンボンタイ)	NUT	1			
27	24311-000160	Oリング 1A P 16.0	O-RING 1A P-16.0	1			
28	26106-080202	ツバボルト 8X 20	BOLT M 8X 20 PLATED	3			
29	124160-39451	エアスイッチ(0.5KG	SWITCH, OIL PRESSURE	1			
29- 1	124160-39450 (TB=E36807)	エアスイッチ 0.5KG キボシ	SWITCH, OIL PRESSURE	1	N		
29- 2	114250-39450 (TB=E39207 TB1=*1999.12) (ETB=E47698 ETB1=50273)	エアスイッチ 0.5KG キボシ	SWITCH, (0.5KG)L.O.	1	N		
30	124160-39140	カンツキテボルト 10	BOLT 10, PIPE JOINT	1			
31	129550-39450	LO-T CMP	PIPE ASSY, LUB. OIL	1			
35	124550-59830 (TB=E38541)	カンツキテボルトCMP 8	BOLT W/ SEAL WASHER	1	W		
36	124550-59820	・カンツキテボルト 8	・ BOLT 8, PIPE JOINT	1			
37	22190-080002	・シ-ルワッシャ(コマル.ニトリル) 8	・ SEAL WASHER 8S	2			
37- 1	22190-080002 (TB=E38541)	・シ-ルワッシャ(コマル.ニトリル) 8	・ SEAL WASHER 8S	1	K		
38	23414-100000	ハツキン(マル 10	GASKET 10, ROUND	2			
38- 1	22190-100002 (TB=E39207 TB1=*1999.10) (ETB=E45989 ETB1=46180)	シ-ルワッシャ(コマル.ニトリル) 10	SEAL WASHER 10S	2	N		
39	171420-34800	ケンユホウ	DIPSTICK	1			
39- 1	171420-34820 (TB=E38541)	ケンユホウ	DIPSTICK, LUB. OIL	1	N		
40	121520-34810	ガイド(ケンユホウ	GUIDE, DIPSTICK	1			
41	22190-080002 (TB=E38541)	シ-ルワッシャ(コマル.ニトリル) 8	SEAL WASHER 8S	1	W		

Y00D6852
 4TNE88-(E)TB(1,Z)

10 CWシステム COOLING WATER SYSTEM




CWシステム COOLING WATER SYSTEM

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I R	備考
1	121750-49110	ツギテ(ミヌキハ・イ)	JOINT	1		
2	129001-42002	CWポンプ	PUMP ASSY, C.WATER	1		
2- 1	129001-42003 (TB=E39207 TB1=*1999.08) (ETB=E44619 ETB1=E44920)	CWポンプ	PUMP ASSY,COOLANT	1	N	
13	23871-030000	・ネジプラグ PT 3/8	・ PLUG PT3/8,SCREW	2		
13- 1	23876-030000 (TB=E39207 TB1=*1999.08) (ETB=E44619 ETB1=E44920)	・ネジプラグ PT 3/8	・ PLUG PT3/8,SCREW	2	N	
14	26106-080602	ツバボルト 8X 60	BOLT M 8X 60 PLATED	3		
15	25132-003900	Vベルト(ロ・エツジ) A39	V-BELT (A-39)	1		
15- 1	25132-003800 (ETBZ=E59591)	Vベルト(ロ・エツジ) A38	V-BELT (A-38)	1	N	
16	129403-42380	Vプーリ(D=110)	V-PULLEY(D=110)	1		
17	129436-44740	ファン D410	FAN,COOLING	1		
18	121267-44760	スペーサ (ブラケット:12)	SPACER	1		
19	26014-060302	ボルト(ヒラハネ) 6X 30	BOLT W/WASHER 6X 30	4		
20	129350-49560	サモスタットカバー	COVER, THERMOSTAT	1		
21	129795-49551	PK(サモスタットカバー) (ノンアス)	GASKET, (NON-ASB.)	1		
22	129155-49800	サモスタット(71°C)	THERMOSTAT	1		
22- 1	129574-49800 (ETB=60245 ETB1=E60841) (ETBZ=60350)	サモスタット(82)	THERMOSTAT	1	N	
22- 2	129457-49800 (ETB=63829 ETB1=E64070) (ETBZ=64159)	サモスタット(82)	THERMOSTAT	1	N	
22- 3	129457-49801 (TB1=*2002.11) (ETB(1)(Z)=*2002.11)	サモスタット(82)	THERMOSTAT	1	N	
23	129150-49811	PK(サモスタットシタ) (ノンアス)	GASKET, (NON-ASB.)	1		
24	129100-49840	PK(サモスタットケース)	GASKET, THERMO. CASE	1		
24- 1	124395-49840 (TB=E39207 TB1=*2000.03) (ETB=E51081 ETB1=E51218)	PK(サモスタットケース)	GASKET, THERMO. CASE	1	N	
25	26106-080202	ツバボルト 8X 20	BOLT M 8X 20 PLATED	2		
26	121250-44901	サモスタット(110°C) 1センチ	SWITCH, THERMO(110°C)	1		
27	124465-44950	ハツキン16	GASKET 16	1		
28	129150-49360	PK 10	GASKET 10	1		
29	129001-42040	ジョイント(CW-P)	JOINT	1		
30	24321-000300	オリング 1A G 30.0	O-RING G30	1		
30- 1	129486-42140 (TB=E39207 TB1=*2000.03) (ETB=E43700 ETB1=E43720)	オリング G 30	O-RING,CW-P	1	N	
31	26106-080162	ツバボルト 8X 16	BOLT M 8X 16 PLATED	3		
32	119266-49350	サモセンサ	SENSOR, THERMO.	1		
33	129100-42020	PK(CWポンプ)	GASKET, C.W. PUMP	1		
33- 1	129486-42021 (TB=E39207 TB1=*1999.08) (ETB=E44619 ETB1=E44920)	PK(CW-P)	GASKET	1	N	
34	171064-44510	サブタンクCMP	SUB-TANK ASSY	1		
36	121450-44531	・キャップ	・ CAP	1		
37	124450-44560	・オサエ(オハ)・フロハ・イ	・ CLAMP	1		
38	121470-44581	・ハツキン	・ GASKET	1		
39	23065-070225	・ビニルハ・イ(ゴム) 7X 225	・ HOSE 7X 225	1		
40	124450-44550	ハント(サブタンク)	CLAMP, SUB-TANK	1		
41	121256-44600	ブラケット (ブラケット:12)	BRACKET, SUB-TANK	1		
42	23010-038000	ホスバンド 38	CLAMP 38	4		
42- 1	23010-038000 (TB=E39207)	ホスバンド 38	CLAMP 38	2	K	
43	129150-49100	サンホウコック CMP	COCK ASSY, 3-WAY	1		
44	129150-49080	・ドレンコック	・ COCK, DRAIN	1		
48	119032-44502	ラジエータ	RADIATOR	1		
49	119032-44660	・キャップ ASSY	・ CAP ASSY	1		
49A	X0227108012 (ALL=FROM 1ST)	・ファンシュラウド	・ FAN SHURAUD	1	W	
50	23010-050000 (TB=E39207)	ホスバンド 50	CLAMP 50	2	W	
51	171091-44900	オイルクーラ	COOLER,OIL	1		
52	129612-49010	CW-T(A)	PIPE(A), C. WATER	1		
53	129612-49020	CW-T(B)	PIPE(B), C. WATER	1		
53- 1	129612-49021 (TB=E39207)	CW-T(B)	PIPE, C.W.	1	N	
54	119032-44591 (TB=E39207)	ワイヤネット	NET, WIRE	1	Z	
55	129110-44740	ファン	FAN COOLING	1		
56	26106-060302	ツバボルト	BOLT M6X30	4		
57	129132-44590	ワイヤネット	NET,WIRE	1		
58	129953-44910	オイルクーラ-CMP	COOLER,OIL	1		
59	129953-44510	ラジエータ CMP	RADIATOR	1		
60	119032-44660	キャップ ASSY	CAP ASSY	1		
61	121400-44900	フトウエキメイハン	LABEL	1		
62	119032-44670	ホス、ラバ	HOSE,RUBBER	1		
63	119032-44680	クランプ	CLAMP	2		

Y00D6852
 4TNE88-(E)TB(1,Z)


1 1 FOフンシャポンプ
 FUEL INJECTION PUMP



見出 REF NO.	部品番号 PARTS NO.	FOエンジンポンプ 部品名	FUEL INJECTION PUMP Description	数量 Q'ty	互換性 I	R	備考
1	729612-51400	FOエンジンポンプ ASSY	PUMP ASSY.,FUEL INJ.	1		(1)	ミダシ NO.1 FOエンジン ハコウモク NO.
2	729612-51450	FOエンジンポンプ ASSY.(ETB(1))	PUMP ASSY.,FUEL INJ.(ETB(1))	1		(1)	ミダシ NO.1 FOエンジン ハコウモク NO.
8	129155-51020	・ウエキポンルト(フィードP)	・STUD, FEED PUMP	2			
9	129470-51040	・カムシャフト	・CAMSHAFT	1			
11	122710-51090	・ハンガ ヅキ	・KEY	1			
12	129506-51100	・プランジヤCMP	・PLUNGER W/BARREL	4			
15	129155-51140	・ピン(バレルマワリドメ	・PIN, BARREL LOCKING	4			
16	174307-51170	・バネウケ A(プランジヤ	・RETAINER A	4			
17	129155-51180	・プランジヤバネウケガネ	・SPRING SHOE, PLUNGER	4			
18	124950-51190	・プランジヤスプリング	・SPRING, PLUNGER	4			
19	129155-51200	・タペット シュミ	・TAPPET ASSY	4			
26	129155-51270	・タペットマワリドメ	・LOCKING, TAPPET	4			
27	129155-51280	・Oリング(S6)	・O-RING S6	4			
28	129100-51300	・デリバリアバネ CMP	・VALVE W/SEAT, DELIV.	4			
31	129155-51320	・バネ(デリバリアバネ	・SPRING, DELIV. VALVE	4			
32	129155-51340	・トシュバネオサエ	・GUARD,DELIVERY VALVE	4			
33	124550-51350	・バネウケ(デリバリア	・GASKET, DELIVERY	4			
34	124550-51370	・Oリング(デリバリア	・O-RING, DELIVERY	4			
35	129155-51370	・トシュバネストッパ	・STOPPER, VALVE	4			
36	129155-51380	・マワリドメ(A)	・LOCKING (A)	2			
37	129155-51390	・マワリドメ(B)	・LOCKING (B)	2			
38	129555-51400	・デフレクタ	・DEFLECTER	1			
39	129155-51410	・トメボルト(デフレクタ	・CHECK BOLT,DEFLECTOR	1			
40	129155-51420	・プラグ(M16)	・PLUG (M16)	1			
41	129155-51450	・チヨウセイバネウケ CMP	・SHIM SET, ADJUSTING	1			
46	129555-51500	・コントロールラック	・RACK, CONTROL	1			
47	129155-51521	・ブッシュ(ラック	・BUSH, RACK	1			
48	129155-51530	・カンザ(ラックボネ ESP	・SPACER, AUX. SPRING	1			
49	129155-51540	・トメワ(カクタ	・CIRCLIP	1			
50	129155-51550	・コントロールピニオン(B	・PINION, CONTROL	4			
51	122117-51560	・トメネジ(FOエンジンハ	・SCREW, PINION	4			
51- 1	129100-51570 (ALL=E5XX)	・ピニオン	・SCREW	4		N	
52	174307-51560	・ピニオン	・PINION	4			
52- 1	129100-51560 (ALL=E5XX)	・ピニオン	・PINION	4		N	
53	129155-51570	・プラグ(M12)	・PLUG (M12)	1			
54	129155-51580	・Oリング	・O-RING	1			
55	129155-51591	・ラックボネ ヨバネ	・SPRING, RACK	1			
56	129155-51600	・チヨウセイバネ CMP	・SHIM PACK	4			
75	129555-51700	・ソコフタ(ホンタイ	・COVER	1			
75- 1	129555-51701 (TB=E39207 TB1=*2000.01) (ETB=E50221 ETB1=E50273)	・ポンプ(ホンタイソコフタ	・COVER	1		N	
76	129555-51710	・PK(ホンタイソコフタ	・GASKET	1			
76- 1	129555-51711 (TB=E39207 TB1=*2000.09) (ETB=E56610 ETB1=E56596) (ETBZ=E55929)	・PK(ホンタイソコフタ	・GASKET	1		N	
77	129555-51750	・ソコフタ(ホンタイ	・COVER, SIDE	1			
77- 1	129555-51751 (TB=E39207 TB1=*2000.01) (ETB=E50221 ETB1=E50273)	・ソコフタ(4CYL	・COVER, SIDE	1		N	
78	129555-51760	・PK(ホンタイソコフタ	・GASKET	1			
79	129155-51790	・ラックマワリドメ	・LOCKING, RACK	1			
80	129156-51910	・メイバン(チヨウイ	・LABEL, CAUTION	1			
81	129155-51930	・カンザ T=3.25	・SPACER T=3.25	1			
82	129155-51940	・カンザ T=1.5	・SPACER T=1.5	1			
83	22190-160002	・シールワッシャ(コマル.ニトリル)16	・SEAL WASHER 16S	1			
84	22217-050000	・バネウケガネ 5	・SPRING WASHER 5	2			
85	22217-060000	・バネウケガネ 6	・SPRING WASHER 6	2			
86	22351-050010	・スプリングピン 5.0AX 10	・SPRING PIN 5X10	2			
87	24101-063034	・ボールベアリング 6303	・BALL BEARING	1			
88	24341-000160	・Oリング 1A S 16.0	・O-RING 1A S-16.0	1			
89	26022-050102	・ナット(バネ5X10	・SCREW M 5X 10	11			
89- 1	26022-050122 (TB=E39207 TB1=*2000.01) (ETB=E50221 ETB1=E50273)	・ナット(バネ5X12	・SCREW M 5X 12	11		N	
90	26022-060162	・ナット(バネ6X16	・SCREW M 6X 16	4			
91	26116-050302	・ボルト 5X 30	・BOLT M 5X 30 PLATED	2			
92	26716-060002	・ナット 6	・NUT 6	2			
93	129155-51050	・ボールベアリング(スラスト	・BALL BEARING, THRUST	1			
93- 1	129155-51051 (TB=*2002.07 TB1=*2000.07) (ETB=E73677 ETB1=E73826) (ETBZ=E73830)	・シールワッシャ(マグネットタ	・RETAINER	1		N	
94	129155-51060	・カムシャフトサポート	・CAM SHAFT SUPPORT	1			
95	129208-54500	・フランジ	・FLANGE ASSY(ETB(1))	1			
97	22217-120000	・スプリングワッシャ	・SPRING WASHER(ETB(1))	1			
98	26716-120002	・ナット	・NUT(ETB(1))	1			
102	129155-52050	・バネウケ(トリツケ	・GASKET	1			
103	129100-52200	・カバー(エンジンキマド)	・COVER	1			
104	129208-51060	・サポート	・SUPPORT	1			

Y00D6852
4TNE88-(E)TB(1,Z)

12 ガバナ
GOVERNOR



Reference Fig12

見出 REF NO.	部品番号 PARTS NO.	がバナ 部品名	GOVERNOR Description	数量 Q'ty	互換性 I R	備考
2	129155-51280	・ Oリング (S6)	・ O-RING S6	1		
5	129052-61050	・ パッキン (がバナケ-ス)	・ PACKING	1		
6	129052-61060	・ がバナケ-スフタ	・ COVER	1		
7	129052-61070	・ パッキン (ケ-スフタ)	・ PACKING	1		
8	129155-61120	・ リンク L=30(マ-ク 0)	・ LINK L=30(MARK 0)	1		(1) センタクシヨウフ [®] ヒン: シキハ [®] ツキゴウ [®] ウ [®] オ カクニノウエ チユウモンネガ [®] イマス. (イラスト サンシヨウ)
9	129155-61130	・ リンク L=31(マ-ク 1)	・ LINK L=31(MARK 1)	1		(1) センタクシヨウフ [®] ヒン: シキハ [®] ツキゴウ [®] ウ [®] オ カクニノウエ チユウモンネガ [®] イマス. (イラスト サンシヨウ)
10	129155-61140	・ リンク L=30.5 (マ-ク 05)	・ LINK L=30.5(MARK 05)	1		(1) センタクシヨウフ [®] ヒン: シキハ [®] ツキゴウ [®] ウ [®] オ カクニノウエ チユウモンネガ [®] イマス. (イラスト サンシヨウ)
11	129155-61201	・ がバナ [®] ナウエイト CMP	・ WEIGHT ASSY, GOVERNOR	1		
11-1	129486-61200 (ETB=E45989 ETB1=E46180)	・ がバナ [®] ナウエイト CMP	・ WEIGHT ASSY, GOVERNOR	1	S	
11-2	129155-61202 (TB=E39207 TB1=*2000.01)	・ がバナ [®] ナウエイト CMP	・ WEIGHT ASSY, GOVERNOR	1	R	
11-3	129486-61201 (ETB=E48864 ETB1=E50273)	・ がバナ [®] ナウエイト CMP	・ WEIGHT ASSY, GOVERNOR	1	R	
15	129155-61341	・ スリ-フ	・ SLEEVE	1		(2) センタクシヨウフ [®] ヒン.
16	129100-61400	・ コントロ-ルレバ [®] シ [®] クCMP	・ SHAFT ASSY, CONTROL	1		
19	129155-61430	・ カンザ [®] (コントロール-ルレバ [®] シ [®] ク	・ SPACER, SHAFT	1		
23	129155-61450	・ カイテンセイケンボ [®] ルト	・ BOLT, REVOL. LIMIT	1		
24	129155-61460	・ アイドルセイケンボ [®] ルト	・ BOLT, IDLE LIMIT	1		
25	129155-61480	・ カンザ [®] COMP	・ SPACER ASSY	2		
30	129052-61390	・ シヤフト(がバナ [®] ナレバ [®]	・ SHAFT, GOV. LEVER	1		
31	129052-61500	・ がバナ [®] ナレバ [®] - CMP	・ LEVER ASSY, GOVERNOR	1		
31- 1	119908-61501 (TB=E39207 TB1=*2000.07) (ETB=E54741 ETB1=E54736)	・ がバナ [®] ナレバ [®] - CMP	・ LEVER ASSY, GOVERNOR	1	R	
32	174307-51700	・ シムセツト(チヨウセイヨウ)	・ SHIM SET	2		
46	129052-61540	・ セツトスプリング [®] (グレバ [®] -	・ SPRING	1		
46- 1	129486-61540 (TB=E39207 TB1=*2000.03) (ETB=E51081 ETB1=E51218)	・ セツトスプリング [®]	・ SPRING, SET	1	S	
56	119660-61901	・ スケト [®] メ	・ RETAINER, SHAFT	1		
57	129155-61950	・ ザ [®] ツキ B(フウイン)	・ BOLT, WASHER BASED	1		
58	124550-66370	・ トメナツト 6 (ツツ [®] リアナ	・ LOCK NUT M 6	1		
58- 1	129209-61370 (TB=E*2000.06 TB1=*2000.06) (ETB=E72919 ETB1=E73826) (ETBZ=E73172)	・ ナツト(ARB)	・ NUT M6	1	S	
59	22117-040000	・ ザ [®] が [®] ネ(コマル 4	・ WASHER 4	1		
60	22190-060002	・ シ-ルワツシヤ(コマル.ニトリル) 6	・ SEAL WASHER 6S	1		
60- 1	22190-060003 (TB=E36807)	・ シ-ルワツシヤ(マ [®] ル 6	・ WASHER, SEAL 6	1	N	
61	22190-100002	・ シ-ルワツシヤ(コマル.ニトリル)10	・ SEAL WASHER 10S	1		
62	22190-120002	・ シ-ルワツシヤ(コマル 12	・ SEAL WASHER 12	2		
63	22287-120000	・ ス-パ [®] -ロツクザ [®] が [®] ネ 12	・ WASHER 12	1		
64	22372-040000	・ スタツツ [®] ヒ [®] JASO 4	・ SNAP PIN 4	2		
65	23887-100002	・ 6カクブ [®] ラク [®] 10	・ PLUG 10	1		
66	24341-000280	・ Oリング 1A S 28.0	・ O-RING 1A S-28.0	1		
67	26106-060102	・ ツバ [®] ボ [®] ルト M 6X 10	・ BOLT M 6X 10 PLATED	1		
68	26106-060102	・ ツバ [®] ボ [®] ルト M 6X 10	・ BOLT M 6X 10 PLATED	1		
69	26106-060102	・ ツバ [®] ボ [®] ルト M 6X 10	・ BOLT M 6X 10 PLATED	4		
70	26106-060142	・ ツバ [®] ボ [®] ルト 6X 14	・ BOLT M 6X 14 PLATED	2		
71	26106-060202	・ ツバ [®] ボ [®] ルト 6X 20	・ BOLT M 6X 20 PLATED	6		
72	26756-060002	・ トメナツト 6	・ LOCK NUT 6	1		
73	26776-120002	・ トメナツト(ホツ) 12	・ LOCK NUT M12 PLATED	2		
73- 1	26776-120002 (TB=*2001.09 TB1=*2001.09) (ETB=E66880 ETB1=E70363) (ETBZ=E67520)	・ トメナツト(ホツ) 12	・ LOCK NUT M12 PLATED	2	K	
73A	26736-120002 (TB=*2001.09 TB1=*2001.09) (ETB=E66880 ETB1=E70363) (ETBZ=E67520)	・ ナツト(ホツ) 12	・ NUT M12	1	W	
74	26366-080002	・ ツバ [®] ツキナツト 8	・ NUT M 8	1		
75	129100-61440	・ コントロ-ルレバ [®] -	・ LEVER, CONTROL	1		
76	129100-61650	・ FOゾ [®] ウリヨウバ [®] ネ	・ SPRING, FUEL CONTROL	1		
77	129489-61700	・ がバナ [®] ナスプリング [®]	・ SPRING, GOVERNOR	1		
77-1	129486-61710 (ETB=E44619 ETB1=E44920)	・ がバナ [®] ナスプリング [®]	・ SPRING, GOVERNOR	1	S	
78	119285-77951	・ ソレノイド [®]	・ SOLENOID	1		
78- 1	119285-77952 (TB=*2001.03 TB1=*2001.03) (ETB=E62124 ETB1=E62868) (ETBZ=E62133)	・ スタツツ [®] ソレノイド [®]	・ SOLENOID, STOP	1	N	
79	26687-120002	・ フクロナツト(タカホツ) 12	・ CAP NUT M12	1		
80	129100-61930	・ フクロナツト	・ CAP NUT	1		
80-1	129209-61930 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	・ フクロナツト	・ CAP NUT	1	S	
81	129132-61550	・ アンク [®] ライヒ CMP	・ ANGLE ICH ASSY	1		
105	129155-61350	・ スリ-フ (チヨウセイヨウ)	・ SLEEVE	1		(2) センタクシヨウフ [®] ヒン.

Product: Takeuchi TB145 Mini Compact Excavator Parts Manual (Book No. BK3Z009)
 Full Download: <https://www.arepairmanual.com/downloads/takeuchi-tb145-mini-compact-excavator-parts-manualbook-no-bk3z009/>

見出し REF. NO.	部品番号 PARTS NO.	ガハナ 部品名 Description	数量 Q'ty	互換性 I	R	備考
106	129155-61360	スリーブ (S10)	1		(2)	ホヨウブ・ヒンデス. センタクシヨクブ・ヒン.
107	129155-61330	・ O-RING S10	1			
108	129155-61470	・ ボルト, FUEL CONTROL	1			
108-1	120323-61470 (ETB=E45989 ETB1=E46180)	・ セイケンボルト	1	S		
108A	129209-61970 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	・ プレート	1			
108B	23414-120016 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	・ パッキン	1	W		
111	129209-61940 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	ケース	1	W		
113	24311-000150 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	・ オリング	1	W		
115	119285-66650 (ETB=E69297 ETB1=E70363) (ETBZ=E69220)	キャップ	1	W		

(3) ホヨウブ・ヒンデス.
 * コノコマク(ガハナ
 ASSY)ハFIG.11
 FOフンシヤホフニ
 フクミマス.