

1. このパーツカタログに記載されている部品は、必ずしも標準装備部品ではありません。
 2. 部品変更は、予告なく行うことがあります。
 3. パーツカタログリスト様式

Y00F2161 (1997.09.01)

Fig. 29 燃料噴射ポンプ(ブーコン用)

FUEL INJECTION PUMP (W/BOOST)

A= 4JH-DT D= 4JH-DTZA
 B= 4JH-DTZ E= 4JH-DTZY
 C= 4JH-DTZP F=

見 出 REF.No.	レベル LEV.	0	部品番号 PARTS No.	部 品 名	DESCRIPTION	個 数 (Q'ty)						備 考 REMARKS
						A	B	C	D	E	F	
1	•		729595-51390	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	(1) BOOST COMPEMSATOR TYPE. OPTIONAL PART, TO E/ # 00155, (4JH-DT, 4JH-DTZ)
1-1	•		729595-51391	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	
3	••		(A=E/ #00185) (B=E/ #00200)									
3	••		26022-060162	ナベネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9		
I 3-1	••		26022-060162	ナベネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4	K	
4	••		(A=E/ #00185) (B=E/ #00200) (C=E/ #00156) (D=E/ #00156) (E=E/ #00156)									
4	••		129470-51040	カムシャフト	CAMSHAFT	1	1	1	1	1	1	
5	••		122710-51050	ベアリングローラ	BEARING, ROLLER	2	2	2	2	2	2	
6	••		129470-51060	ベアリングホルダ	RETAINER	1	1	1	1	1	1	

備 考

(1) ブーストコンベンサータ付き、4JH-DT、4JH-DTZとも
E/ # 00155 までは、特別注文仕様とします

Remarks

(1) BOOST COMPEMSATOR TYPE.
OPTIONAL PART, TO E/ # 00155,
(4JH-DT, 4JH-DTZ)

① 見出 No.(REF.No.)

リスト頁の見出 No.とイラスト図番の末尾が一致しない場合があります。

(例) イラスト図番 リスト頁の見出 No.

1 1 (変更前) → 1-1 (変更後)

互換性記号 N、R、K の場合は新部品のイラストを省略している場合があります。

② レベル (LEV.)

レベル

•表示している • 印の数をレベルと呼び親子の関係を示します。(• は親部品です)

••は • に含まれる子部品です。

•••は •• に含まれる子部品 (• から見れば孫部品) です。

注) 非販売部品のイラストは一部展開しておりますが、リストには記載しておりません。

③ 変 更 マ ー ク

前回出版したパーツカタログには無く、今回新規に設計変更が発生した部品について "I" 印が表示されます。

④ 互 換 性 区 分

部分変更が行われた場合、その部品に対して下記の互換性記号が表示されます。

記号	互換性	内 容
N	旧 → 新	新部品は、旧部品に対して互換性有り、その逆は無し。
Q	旧 → 新	新部品は、旧部品に対して互換性無し、その逆は有り。
R	旧 → 新	新・旧部品双方に対して互換性有り。
S	旧 → 新	新・旧部品双方に対して互換性無し。
W		新規追加となった部品。
Z		廃止された部品。
F		単品では、互換性無し。但し関連部品セットにて互換性有り。
K		使用個数のみの変更。

⑤ 実 施 号 機

部品が変更された時には、適用される商品形式の実施号機が (A) ~ (F) 欄毎に表示されます。

商品記号	商 品 No.	商品記号	商 品 No.
C	クラッチ No. コンプレッサ No.	M	本機 No.
D	ドライブ No.	T	トラクタ No.
E	エンジン No.	注 1) ※	西暦年月

注 1) 記号の後の西暦年月を記載している事もあります。(例) ※ 1996. 01

注 2) 実施号機が ××× は、部品変更の予告又は、実施号機が確定できなかった部品です。

注 3) (A=E/ # 00185) は、A 欄の商品形式 (=4JH-DT) の部品変更実施号機は、E/ # (=エンジン No.) が 00185 号機以降であることを示します。

⑥ 備考(リマークス)区分

R 欄に数字又は、英字 (記号) を表示してあります。

リスト下段に上記の記号と同一記号を表記して当該部品に対するコメント(備考)を表示しています。

How to read this Parts Catalog

1. Parts mentioned in this Parts Catalog may not necessarily be standard equipping parts.
2. Parts change may be made without prior notice.
3. Form of this Parts Catalog.

Y00F2161 (1997.09.01)

Fig 29 燃料噴射ポンプ(ブーコン用) FUEL INJECTION PUMP (W/BOOST)

見出 REF. No.	レベル LEV.	部品番号 PARTS No.	部品名	DESCRIPTION	個数 (Q'ty)						備考 REMARKS
					A	B	C	D	E	F	
1	•	729595-51390	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	(1) BOOST COMPEMSATOR TYPE. OPTIONAL PART, TO E/# 00155, (4JH - DT, 4JH - DTZ)
1-1	•	729595-51391	F0ポンプ ASY(ブーコン用)	FULE INJECTION PUMP	1	1	1	1	1	1	
3	••	26022-060162	ナメコネジ M 6X 16	SCREW M 6X 16	9	9	9	9	9	9	
1 3-1	••	26022-060162	ナメコネジ M 6X 16	SCREW M 6X 16	4	4	4	4	4	4	
4	••	129470-51040	カムシャフト	CAMSHAFT	1	1	1	1	1	1	
5	••	122710-51050	ベアリング*ローラ	BEARING, ROLLER	2	2	2	2	2	2	
6	••	129470-51060	ベアリング*サテ	RETAINER	1	1	1	1	1	1	

備考
 (1) ブーストコンベンセータ付き, 4JH-DT, 4JH-DTZとも
 E/# 00155 までは, 特別注文仕様とします

① Ref. No.

The Ref. No. in the list may not be accord with the Ref. No. on illustration.

(Ex.) Illustration No.

List head No.

1

1

(Befor change)

→

1 - 1

(After change)

When interchangeable symbol N, R, and K, illustrations for new parts are sometimes omitted.

② Lev.(Level)

Indication and Meaning of Level

Level : Hereunder is given the relation among the number of dots(•), the level and the nominal parent- child relationship.

-Parent parts(Assembly parts)
-Child parts included in "•" (Semi- Assembly parts, component parts of Assembly parts.)
-Child parts included in "••", Grand- child parts in terms of "•".
 (Component parts of Semi- Assembly parts.)

Note) A parts of non- sale parts are illustrated but not listed.

③ Change Mark

Change Mark "I" is given to the part for which a design change was made at this time.

The design change was not shown in the last published Parts Catalog.

④ Interchangeability Mark

In the case where a part change took place, one of the following interchangeability marks is indicated for that part.

Symbol	Interchangeability	Contents note
N	Old ↔ New	New Part is interchangeable for Old Part but not interchangeable conversely.
Q	Old ↔ New	New Part is not interchangeable for Old Part but interchangeable conversely.
R	Old ↔ New	New Part is interchangeable for Old Part and vice versa.
S	Old ↔ New	New Part is not interchangeable for Old Part and vice versa.
W		Part newly added.
Z		Part discontinued.
F		Not interchangeable single part but interchangeable by set of the related parts.
K		Changed only in quantity used.

⑤ Effective Machine No.

When a part is changed, Effective Machine No. of a Model for which the part is applicable is indication in each column of (A)- (F).

Product Symbol	Product No.	Product Symbol	Product No.
C	Clutch No. Compressor No.	M	Machine No.
D	Drive No.	T	Tractor No.
E	Engine No.	Note1) ※	Date

Note1) Date may follow the symbol in some cases. (Ex.) ※ 1996.01

Note2) As far as engine models shown by "XXX" are concerned, the modification of the parts could not be predicted or the engine models themselves could not be identified.

Note3) (A=E/#00185) means that the design change on the part has been effective for the model at the column (A) (in this case, for 4JH- DT) on and from E/# (Engine Serial Number) 00185.

⑥ Remarks Mark

Figures or alphabets (Symbols) are entered in the remark column.

The comments (remarks) on the pertinent parts are indicated in the lower part of the list by the same symbols

as those stated above


+-----+ *
| 1A01 | * () *
+-----+ *

コウモクNO. GROUP	コウモク メイ	GROUP NAME	ロケーション LOCATION
1	シリンドラフブロック	CYLINDER BLOCK	1A02
2	ギヤケース	GEAR HOUSING	1A03
3	フライホイールハウジング & オイルパン	FLYWHEEL HOUSING & OIL SUMP	1A04
4	シリンドラヘッド & ホンネット	CYLINDER HEAD & BONNET	1A05
5	キユキマニホルト & エアクリーナ	SUCTION MANIFOLD & AIR CLEANER	1A06
6	ハイキマニホルト & サイレンサ	EXHAUST MANIFOLD & SILENCER	1A07
7	カムシャフト & クトウギヤ	CAMSHAFT & DRIVING GEAR	1A08
8	タービン	TURBINE	1A09
9	クランクシャフト & ピストン	CRANKSHAFT & PISTON	1A10
10	LOシステム	LUB.OIL SYSTEM	1A11
11	LOパイプ	LUB.OIL LINE	1A12
12	CWシステム	COOLING WATER SYSTEM	1A13
13	FOポンジャポンプ	FUEL INJECTION PUMP	1A14
14	FOポンジャバルブ	FUEL INJECTION VALVE	1A15
15	FOパイプ	FUEL LINE	1A16
16	キカンテイシソウチ	ENGINE STOP DEVICE	1B01
17	スターティングモータ	STARTING MOTOR	1B02
18	シエネレータ	GENERATOR	1B03
19	パッキンセット	GASKET SET	1B04

Engine for TL150 4TNE106T-TBL S/N 21500004-21500627
CYLINDER BLOCK

Y00D7140
4TNE106T-TBL


1 シリンダブロック
1 CYLINDER BLOCK



見出 REF NO.	部品番号 PARTS NO.	部品名	シリンダーブロック CYLINDER BLOCK		数量 Q'ty	互換性		備考
			Description			I	R	
1	723900-01560	シリンダーブロック ASY	BLOCK ASSY, CYLINDER		1			
4	171051-01921	・ プラグ NPTF1	・ PLUG		1			
5	123900-02020	・ メタルキャップボルト	・ BOLT,CAP,MAIN-BEARIN		10			
8	123900-02410	・ ブッシュ	・ BUSH		1			
9	22351-060012	・ スプリングピン 6.0AX 12	・ SPRING PIN 6X12		2			
10	23875-030000	・ プラグ PT3/8(チンコウ)	・ PLUG PT3/8,STEEL		4			
11	27231-700000	・ プラグ 70	・ PLUG 70		1			
12	27241-300000	・ プラグ 30	・ PLUG 30		8			
13	23875-030000	・ プラグ PT3/8(チンコウ)	・ PLUG PT3/8,STEEL		1			
14	27225-120160	・ プラグ 12X16	・ PLUG 12*16		1			
15	121851-11970	・ ハーフジョイント	・ JOINT, PIPE		1			
16	123900-02800	・ メインメタル CMP	・ BEARING ASSY, MAIN		5			
19	123900-02930	・ スラストメタル CMP	・ BEARING ASSY, THRUST		2			
22	119174-01200	ヘッドボルト	BOLT, CYLINDER HEAD		18			
23	123900-01340	ヘッドガスケット	GASKET, HEAD		1			
24	123900-02340	メインベアリング U.S=0.25	MAIN BEARING US=0.25		5			(1) アンダーサイズ (U.S=0.25) プリンデス
27	123900-02940	スラストメタル 0.S=0.25	BEARING,THRUST .250S		2			(2) オーバーサイズ (0.S=0.25) プリンデス

Y00D7140
4TNE106T-TBL


2 ギヤケース
GEAR HOUSING



見出 REF NO.	部品番号 PARTS NO.	部品名	ギヤケース GEAR HOUSING	数量 Q'ty	互換性		備考
			Description		I	R	
1	723900-01590	ギヤケース CMP	HOUSING ASSY,COVER,G	1			
3	123900-01780	・オイルシール(ギヤ)	・ OIL SEAL	1			
4	123900-01740	FIPフタ	COVER, FIP	1			
5	123900-01830	ギヤケース CMP(LOW ,HOP	GEAR CASE ASSY	1			
7	123900-32001	・ LO-P CMP	・ PUMP ASSY, L.O.	1			
8	26216-100302	・ スtudボルト 10X 30	・ STUD BOLT	4			
9	24101-062060	・ ベアリング 6206	・ BALL BEARING	1			
10	129900-32030	Oリング P20	O-RING P20	1			
11	129900-32040	Oリング P14	O-RING P14	1			
12	22312-080160	平行ピン 8X16	PARALLEL PIN 8X 16	4			
13	26106-080202	ボルト 8X 20	BOLT M 8X 20 PLATED	2			
14	26106-080202	ボルト 8X 20	BOLT M 8X 20 PLATED	5			
15	26106-080402	ボルト 8X 40	BOLT M 8X 40 PLATED	6			
16	26106-080452	ボルト 8X 45	BOLT M 8X 45 PLATED	4			
17	26106-080452	ボルト 8X 45	BOLT M 8X 45 PLATED	5			
18	26106-080502	ボルト 8X 50	BOLT M 8X 50 PLATED	1			
19	26106-080702	ボルト 8X 70	BOLT M 8X 70 PLATED	5			
20	26106-080802	ボルト 8X 80	BOLT M 8X 80 PLATED	3			
21	26366-100002	ナット M10	NUT M10	4			
22	124160-01751	フタ(給油口)	CAP, LUB.OIL SUPPLY	1			
23	24311-000320	Oリング 1A P 32.0	O-RING 1A P-32.0	1			
24	24101-062054	ベアリング 6205	BEARING #6205	1			
25	24101-062060	ベアリング 6206	BALL BEARING	1			
26	24311-000110	Oリング 1A P 11.0	O-RING 1A P-11.0	1			
27	121023-26070	フタ(HO-P)	COVER, HO-P	1			
28	24321-000850	Oリング 1A G 85.0	O-RING 1A G-85.0	1			
29	26106-100122	ボルト 10X 12	BOLT M10X 12 PLATED	2			
30	977770-1207F	シール(オイル) エキストラ	GASKET, LIQUID	1			(1) オプション プレパレーション
31	171031-11741	パイプ	PIPE	1			
32	24311-000320	Oリング 1A P 32.0	O-RING 1A P-32.0	1			

Y00D7140
4TNE106T-TBL


3 フライホイールハウジング & オイルパン
FLYWHEEL HOUSING & OIL SUMP



		フライホイールハウジング & オイルパン		FLYWHEEL HOUSING & OIL SUMP				
見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量 Q'ty	互換性 I	R		備考
1	129100-01580	ヘイコピン 8X16	PARALLEL PIN 8X16	2				
2	123900-01620	フライホイールハウジング CMP	COVER ASSY, FLYWHEEL	1				
4	119620-01750	キャップ (オイルカバー)	CAP, FLYWHEEL COVER	1				
5	26106-100352	ツハボルト 10X 35	BOLT M10X 35 PLATED	10				
6	123672-01782	オイルシール	SEAL, OIL	1				
7	123900-01710	オイルパン CMP	PAN COMP, LUB. OIL	1				
8	119640-01640	・ ドレンプラグ M22	・ DRAIN PLUG M22	1				
10	22190-220002	・ シールワッシャー (コマル, ニトリル) 22	・ SEAL WASHER 22S	1				
11	26106-080122	ツハボルト 8X 12	BOLT M 8X 12 PLATED	22				
12	26106-080162	ツハボルト 8X 16	BOLT M 8X 16 PLATED	4				
13	977770-1207F	シリコンケイ エキシヨウカスケット	GASKET, LIQUID	1			(1)	オフショウ プレヒンデス

Y00D7140
4TNE106T-TBL


4 シリンダヘッド & ボンネット
CYLINDER HEAD & BONNET



シリンダヘッド & ボンネット			CYLINDER HEAD & BONNET	数量	互換性	R	備考
見出 REF NO.	部品番号 PARTS NO.	部品名	Description	Q'ty	I		
1	123901-03090	ゴムホース(フリース)OUT	HOSE, RUBBER	1			
2	123900-07900	ツリアゲカタケ	LIFTER	1			
3	26106-100202	ツハホルト 10X 20	BOLT M10X 20 PLATED	2			
4	723900-11100	シリンダヘッド ASSY	HEAD ASSY, CYLINDER	1			
7	123900-11080	・ ハルブシート(INT)	・ SEAT, INTAKE	4			
8	123900-11090	・ ハルブシート(EXH)	・ SEAT, EXHAUST	4			
9	119000-11810	・ ハルブガイド (ハイキ)	・ GUIDE, VALVE(EXHAUST	8			(1)
11	23876-005000	・ ネジブラク PT 1/16	・ PLUG PT 1/16,SCREW	1			
12	27241-400000	・ プラグタラ 40	・ PLUG 40	1			
13	23876-030000	・ ネジブラク PT 3/8	・ PLUG PT3/8,SCREW	1			
14	123900-11100	・ ハルブ (INT)	・ VALVE INTAKE	4			
15	123900-11110	・ ハルブ (EXH)	・ VALVE EXHAUST	4			
16	123900-11120	・ バンパネ	・ SPRING, VALVE	8			
17	121850-11150	・ ステムシール	・ SEAL, VALVE STEM	8			
18	121850-11180	・ バンパネサエ	・ RETAINER, SPRING	8			
19	119171-11370	・ キャップ (バン)	・ CAP, VALVE	8			
20	119625-11870	・ プロテクタ(ノズル)	・ PROTECTOR, NOZZLE	4			
21	119625-11880	・ ノズルシート	・ SEAT, NOZZLE	4			
22	119625-11900	・ オサエ	・ RETAINER	4			
23	26216-060252	・ ウエコミホルト 6X 25	・ STUD M 6X 25 PLATED	8			
24	26366-060002	・ ツハツキナツト 6	・ NUT M 6	8			
25	27310-090000	・ コツタ(ステム)	・ COTTER 9	16			
26	123900-11200	・ バンパネサエ -トCMP	SUPPORT COMP,ROCKKER	1			
27	123900-11240	・ バンパネシク	・ SHAFT ROCKER ARM	1			
28	119000-11280	・ スプリング	・ SPRING	3			
29	123900-11510	・ バンパネサエ -ト(A)	・ SUPPORT ROCKER ARM A	3			
30	123900-11520	・ バンパネサエ -ト(B)	・ SUPPORT ROCKER ARM B	1			
31	123900-11650	・ キュウキバンパネ KIT	・ ARM ASSY, SUC. ROCKE	4			
32	129150-11230	・ ・ アジヤスタ (バン)スキマ	・ ・ SCREW, VALVE	4			
34	129150-11750	・ ・ ナット M8XP1.0	・ ・ NUT M8XP1.0	4			
35	123900-11660	・ ハイキバンパネ KIT	・ ARM ASSY, EXH. ROCKE	4			
36	129150-11230	・ ・ アジヤスタ (バン)スキマ	・ ・ SCREW, VALVE	4			
38	129150-11750	・ ・ ナット M8XP1.0	・ ・ NUT M8XP1.0	4			
39	22242-000180	・ トメワC(シク) 18	・ CIRCLIP 18	2			
40	26577-040162	・ サラコネジ (+ア) 4X16	・ SCREW M 4X 16	1			
41	119593-11300	・ ウエコミホルト 8X80	BOLT 8X80	4			
42	26106-080702	・ ツハホルト 8X 70	BOLT M 8X 70 PLATED	4			
43	26366-080002	・ ツハツキナツト 8	NUT M 8	4			
44	124160-01751	・ フタ(ホユウ)	CAP, LUB.OIL SUPPLY	1			
45	123912-11330	・ ボンネット CMP	BONNET ASSY	1			
46	129150-03070	・ ハツフル (フリース)	・ BAFFLE,BREATHER	2			
47	123900-03202	・ シヤイタ(フリース)	・ PLATE	1			
48	123900-03210	・ PK(フリース)	・ PACKING(BREATHER	1			
49	123900-03220	・ ショイント	・ JOINT	1			
51	123900-11310	・ PK(バン)シツ	・ PACKING	1			
52	26022-050122	・ ナハコネジ (ハ)ネ5X12	・ SCREW M5X12	3			
53	124160-11360	・ トツテ	KNOB	4			
54	24311-000120	・ Oリング 1A P 12.0	O-RING 1A P12.0	4			
55	123912-07900	・ ツリアゲカタケ	LIFTING	1			
56	26106-100252	・ ツハホルト 10X 25	BOLT M10X25 PLATED	2			
57	123901-03270	・ フリース CMP	BREATHER ASSY	1			
58	123901-03240	・ ロモウ	・ WOOL,STEAL	3			
59	123901-03250	・ カハ - (フリース)	・ COVER	1			
60	123901-03260	・ フリース	・ BREATHER	1			
61	26116-050102	・ ホルト 5X 10	・ BOLT M 5X 10 PLATED	4			
62	123901-03280	・ エルボ PT3/8-10	ELBOW	1			
63	123912-03300	・ ゴムホースCMP(フリース)モトシ	HOSE CMP,BREAZER OUT	1			
65	123912-03270	・ コルケ -トチューブ 19	・ PROTECTOR,FUEL PIPE	1			
66	123951-03090	・ フリースホース(B)	HOSE B, BREATHER	1			
67	23000-016000	・ ホースクリップ 16	CLAMP 16	2			
68	23000-041000	・ ホースクリップ 41	CLAMP 41	2			
69	23000-041000	・ ホースクリップ 41	CLAMP 41	1			
70	24311-000320	・ Oリング 1A P 32.0	O-RING 1A P-32.0	1			

Y00D7140
 4TNE106T-TBL


5 キュウキマニホールド & エアクリーナ
 SUCTION MANIFOLD & AIR CLEANER



見出 REF NO.	部品番号 PARTS NO.	部品名	Description	数量			備考
				Q'ty	互換性	I R	
1	123900-12100	マニホールド (INT	MANIFOLD,AIR INTAKE	1			
2	123900-12110	PK(SUCマニホールド	PK(SUC	1			
3	26106-080702	ツハネルト 8X 70	BOLT M 8X 70 PLATED	9			
4	129595-18141	ゴムツキテ A	HOSE, RUBBER	1			
5	23000-054000	ホースクリップ 54	CLAMP 54	2			
6	123912-18350	キョウキベント	BEND	1			
7	123900-77020	トウPK	GASKET,AIR HEATER	1			
8	123900-77030	PK(エアヒータ	GASKET,AIR HEATER	1			
9	123900-77500	エアヒータ	HEATER AIR	1			
10	26106-100752	ツハネルト 10X 75	BOLT M10X 75 PLATED	2			
11	26106-100952	ツハネルト 10X 95	BOLT M10X 95 PLATED	2			
12	23000-070000	ホースクリップ 70	CLAMP 70	1			
13	23000-115000	ホースクリップ 115	CLAMP 115	1			
14	26106-080162	ツハネルト 8X 16	BOLT M 8X 16 PLATED	4			
15	123912-12500	エアクリータ CMP	AIR CLEANER COMP.	1			
17	123950-12520	カバー	COVER	1			
18	119160-12540	バルブキョウエータ	VALVE	1			
19	119117-12560	エレメント ASY(アウタ-	ELEMENT ASSY OUTER	1			
20	119117-12570	エレメント(インナ	ELEMENT, INNER	1			
21	129612-12650	マーキング(W	MARKING, (W)	1			
22	119140-12680	インジケータ (デモンキ	INDICATOR	1			

Y00D7140
4TNE106T-TBL


6 ハイキマニホールド & サイレンサ
EXHAUST MANIFOLD & SILENCER



		ハイキマニホ-ルト & サイレンサ		EXHAUST MANIFOLD & SILENCER			
見出	部品番号	部品名	Description	数量	互換性		
REF NO.	PARTS NO.			Q'ty	I	R	備考
1	123900-13610	ウエコムホ-ルト 8X80	STUD BOLT M 8X 80	2			
2	123901-13200	マニホ-ルト (EXH	MANIFOLD,AIR EXHAUST	1			
3	123900-13110	PK(EXHマニホ-ルト	PK(EXH	1			
4	129693-44310	トリツクホ-ルト(CFWクーラ	BOLT(CFW COOLER	5			
5	129418-18320	スタットホ-ルト M8X20	STUD BOLT M8X20	4			
6	26366-080002	ツハ-ツキナツト 8	NUT M 8	2			
7	129400-13201	ガスケット(サイレンサ ノンアス)	GASKET, (NON-ASB.)	1			
8	26366-080002	ツハ-ツキナツト 8	NUT M 8	4			
9	123912-13500	サイレンサ	SILENCER	1			
10	123900-13650	ツハ-ホ-ルト M8X110	BOLT M8X110	1			
11	123912-13650	ステー(サイレンサ	STAY	1			
12	123901-18080	PK(T/C OUT	PK(T/C OUT	1			
13	26106-080222	ツハ-ホ-ルト 8X 22	BOLT M 8X 22 PLATED	2			
14	26106-080222	ツハ-ホ-ルト 8X 22	BOLT M 8X 22 PLATED	4			

Y00D7140
4TNE106T-TBL


7 カムシャフト & クドウギヤ
CAMSHAFT & DRIVING GEAR



		カムシャフト & クリベキヤ		CAMSHAFT & DRIVING GEAR			
見出	部品番号	部品名	Description	数量	互換性		
REF NO.	PARTS NO.			Q'ty	I R	備考	
1	123900-14200	タペツト	TAPPET	8			
2	123900-14400	プッシュロッド	PUSH ROD	8			
3	123901-14590	カムシャフト CMP	CAMSHAFT ASSY	1			
4	129150-02450	・ スラストメタル	・ METAL,THRUST	1			
6	129900-14110	・ カムキヤ(フオーク	・ GEAR, CAMSHAFT	1			
7	22512-070140	・ フェザ-キ- 7X14	・ KEY 7X 14	1			
8	26106-080142	ツハボルト M 8X 14	BOLT M 8X 14 PLATED	2			
9	123900-25060	シャフト(アイトルキヤ	SHAFT(GEAR, IDLE	1			
10	123900-25130	アイトルキヤ CMP	GEAR, IDLE CMP	1			
13	26106-080552	ツハボルト 8X 55	BOLT M 8X 55 PLATED	3			
14	129900-25900	キヤ(FI-P アクタ	GEAR, FI-P	1			
15	129900-26020	HO-Pキヤ CMP	GEAR ASSY, HYDR.PUMP	1			

Y00D7140
4TNE106T-TBL


タービン
TURBIN



見出 REF NO.	部品番号 PARTS NO.	部品名	Description	タービン 数量		TURBINE 互換性 I R	備考
				タービン	数量		
1	123901-18090	PK(T/C IN	PK(T/C IN	1	1		
2	22117-080000	サカネ(コナル 8	WASHER 8	4	4		
3	26703-080002	ナット 8	NUT M 8	4	4		
4	26213-080222	ワエコミホルト 8X 22	STUD M 8X 22	4	4		
5	123912-18011	タービン(RHF5	TURBINE	1	1		

Y00D7140
4TNE106T-TBL

9 クランクシャフト & ピストン CRANKSHAFT & PISTON




見出		部品番号		クランクシャフト & ピストン		CRANKSHAFT & PISTON		数量	互換性	備考
REF NO.	PARTS NO.	部品名	Description	Q'ty	I	R				
1	123900-21050	クランクシャフト CMP	CRANKSHAFT ASSY	1						
3	129900-21220	・ クランクギヤ	・ GEAR, CRANKSHAFT	1						
4	121850-21290	・ PP(クランクギヤ)	・ PARALLEL PIN	1						
5	121850-21920	・ ヘイコピン 10X22	・ PARALLEL PIN 10X22	1						
6	22512-070140	・ フェザ-キー 7X14	・ KEY 7X 14	1						
7	129900-21640	サ-ガネ	WASHER	1						
8	123900-21650	Vプ-リ(クランクシャフト	V-PULLY(CRANK	1						
9	121850-21680	ボ-ルト(Vプ-リ)	BOLT, V-PULLEY	1						
10	121850-21130	ボ-ルト(フライホイ-ル)	BOLT, FLYWHEEL	6						
11	123912-21570	フライホイ-ル CMP	FLYWHEEL ASSY	1						
13	127410-21480	・ リングギヤ Z=129	・ RING GEAR Z=129	1						
14	123901-22080	ピ-ストン CMP	PISTON ASSY	4						
16	123900-22050	・ リング CMP	・ RING ASSY	4						
22	119173-22300	ピ-ストンピン	PIN, PISTON	4						
23	22252-000370	トメワC(ア- 37	CIRCLIP 37	8						
24	123900-23000	コンロッド CMP	ROD ASSY, CONNECTING	4						
27	123900-23910	・ ピ-ストンピンメタル	・ METAL, PISTON PIN	4			(1)	ネヨウフ-ピンデ-ス		
28	123900-23200	・ ボ-ルト(コネクティング-ロッド)	・ BOLT, ROD	8						
29	123900-23600	・ クランクピンメタルCMP	・ METAL ASSY, CRANKPIN	4						
31	123900-23610	ベ-アリング(ピン)U.S=0.25	BEARING, PIN U.S=0.25	4			(2)	アンダー-サイズ(U.S=0.25)フ-ピンデ-ス		
33	123901-22900	ピ-ストン CMP 0.250S	PISTON W/RING OS=.25	4			(3)	オーバー-サイズ(0.S=0.25)フ-ピンデ-ス		
35	123900-22950	・ リングセット 0.S=0.25	・ RING SET 0.S=0.25	4			(3)	オーバー-サイズ(0.S=0.25)フ-ピンデ-ス		

Y00D7140
4TNE106T-TBL

10

LOシステム
LUB.OIL SYSTEM



		L0システム LUB.OIL SYSTEM		数量 互換性		備考
見出 REF NO.	部品番号 PARTS NO.	部品名	Description	Q'ty	I R	
1	123912-33011	L0ク-ラ CMP	COOLER ASSY, L.O.	1		
2	123912-33040	L0ク-ラフ ラケットCMP	BRACKET COMP, COOLER	1		
3	123900-33060	PK(L0ク-ラフ ラケット	PACKING	1		
4	123912-33100	センタボルト(L0ク-ラ	BOLT, L.O.COOLER	1		
5	26106-080202	ツハボルト 8X 20	BOLT M 8X 20 PLATED	4		
6	129951-34801	ケンユボウ	DIPSTICK	1		
7	119260-34810	ガイド (L0ク-シ	GUIDE, DIPSTICK	1		
8	123912-34810	ガイド (ケンユボウ	GUIDE, DIPSTICK	1		
9	24311-240100	Oリング 1A P 10A	O-RING 1A P-10A	1		
10	119005-35150	L0フィルタ 80X100L	STRAINER 80X100L,L.O.	1		
11	123900-35000	L0キユウニユウカン CMP	PIPE ASY,L.OIL INLET	1		
16	24314-000180	Oリング 4C P 18.0	O-RING 4C P-18.0	1		
17	26106-080122	ツハボルト 8X 12	BOLT M 8X 12 PLATED	1		
18	26106-080162	ツハボルト 8X 16	BOLT M 8X 16 PLATED	1		
19	121550-49111	ジョイント PT1/4	JOINT PT1/4	1		

This diagram shows an exploded view of a mechanical assembly. The main components are labeled with numbers and quantities in parentheses:


- 1** - 1: A large, complex cast part, likely a cylinder head or block, shown in the center.
- 2** - 5: A large, rectangular cast part, likely a base or manifold, shown to the right.
- 3** - 1: A small bolt or screw at the bottom left.
- 4** - 1: A small bolt or screw at the top left.
- 5** - 1: A small bracket or plate at the top left.
- 6** - 2: A small bracket or plate at the top right.
- 7** - 13: A series of small bolts or screws along the top and left edges.
- 8** - 5: A small bracket or plate at the top left.
- 9** - 1: A small bolt or screw at the bottom right.
- 10** - 1: A small bracket or plate at the bottom right.
- 11** - 1: A small bracket or plate at the bottom right.
- 12** - 2: Two small bolts or screws at the bottom right.
- 13** - 1: A small bracket or plate at the bottom right.
- 14** - 1: A small bracket or plate at the bottom right.
- 15** - 15: A series of small bolts or screws at the bottom right.
- 16** - 1: A small bracket or plate at the bottom right.
- 17** - 1: A small bracket or plate at the bottom right.
- 18** - 1: A small bracket or plate at the bottom right.
- 19** - 1: A small bracket or plate at the bottom right.
- 20** - 1: A small bracket or plate at the bottom right.
- 21** - 1: A small bracket or plate at the bottom right.
- 22** - 1: A small bracket or plate at the bottom right.
- 23** - 1: A small bracket or plate at the bottom right.
- 24** - 1: A small bracket or plate at the bottom right.
- 25** - 1: A small bracket or plate at the bottom right.
- 26** - 1: A small bracket or plate at the bottom right.

The diagram includes various lines and arrows indicating the assembly sequence and the location of each part. A note "TO 13-1" is present near the bottom left.

見出 REF NO.	部品番号 PARTS NO.	部品名	Description	LUB.OIL LINE		互換性 I R	備考
				数量 Q'ty	LOA°イ°		
1	114250-39450	エフツスイツチ (0.5KG)	SWITCH,(0.5KG)L.O.	1			
2	123912-39060	LO-T(T/C CMP	PIPE,LUB.OIL	1			
3	124160-39140	カンツキ`テホ`ルト 10	BOLT 10, PIPE JOINT	1			
4	121252-39150	カンツキ`テホ`ルト M10X1.5	BOLT, PIPE JOINT	1			
5	124223-39900	フレト`メ	RETAINER	1			
6	23297-060081	カントメカナク` A 6X 8	RETAINER 6X 8	1			
7	23414-100000	ハ`ツキン(マル 10	GASKET 10, ROUND	6			
8	26106-080122	ツハ`ホ`ルト 8X 12	BOLT M 8X 12 PLATED	2			
9	124070-13300	エルホ` PT3/8(3T75Z)	ELBOW (PT3/8)	1			
10	123912-39600	LO-T(T/Cホト`シ	PIPE, L.O.	1			
11	123901-39820	ホ-ス(LOホト`シ	HOSE	1			
12	23000-025000	ホ-スクリツツ` 25	CLAMP 25	2			
13	24314-000180	Oリツク` 4C P 18.0	O-RING 4C P-18.0	1			
14	26106-080142	ツハ`ホ`ルト M 8X 14	BOLT M 8X 14 PLATED	1			
15	22190-080002	シ-ルワツシヤ(コマル.ニトリル) 8	SEAL WASHER 8S	4			
16	129792-39410	チエツクハ`ルツ`COMP	VALVE ASSY, CHECK	4			
22	123900-39650	レイキヤクノズ`ル	NOZZLE	4			
23	22351-030010	スプリツク`ピン 3.0AX 10	SPRING PIN 3X10	4			
24	123950-39050	LO-T CMP (HO-P	PIPE.ASSY, L.O.	1			
25	105010-39140	カンツキ`テホ`ルト	BOLT, PIPE JOINT	2			
26	26106-060162	ツハ`ホ`ルト 6X 16	BOLT M 6X 16 PLATED	2			

Y00D7140
4TNE106T-TBL


12 CWシステム COOLING WATER SYSTEM



見出 REF NO.	部品番号 PARTS NO.	部品名	CWシステム COOLING WATER SYSTEM		数量 Q'ty	互換性		備考
			Description			I	R	
1	129466-49300	エルボ PT3/8	ELBOW PT3/8		1			
2	123900-42000	CWポンプ (LOW ASY	PUMP ASSY, C. WATER		1			
10	123900-42050	PK(CWP	PACKING		1			
11	26106-060502	ツハボルト 6X 50	BOLT M 6X 50 PLATED		2			
12	26106-080552	ツハボルト 8X 55	BOLT M 8X 55 PLATED		4			
13	123900-42470	プーリ(CWP B 130	V-PULLEY		1			
14	123910-42480	Vベルト(ロ-エツシ B47	V-BELT		1			
15	123915-44740	CWファン	FAN, C.W.		1			
16	123900-44761	カンサ (ファン	SPACER		1			
17	26106-100452	ツハボルト 10X 45	BOLT M10X 45 PLATED		4			
18	123900-49800	サ-モスタットケ-ス CMP	THERMOSTAT CASE ASSY		1			
19	124610-48620	・ サ-モスタット(82ト	・ THERMOSTAT		1			
20	124610-49291	・ PK(サ-モスタットカハ	・ GASKET		1			
21	123550-49530	・ サ-モスタットカハ	・ COVER, THERMOSTAT		1			
22	123500-49550	・ ハッキン(サ-モスタット	・ GASKET		1			
24	23876-030000	・ ネジ'プ'ラック PT 3/8	・ PLUG PT3/8,SCREW		2			
25	26106-080142	・ ツハボルト M 8X 14	・ BOLT M 8X 14 PLATED		4			
26	123900-49820	PK(サ-モク-ス	GASKET		1			
27	26106-080602	ツハボルト 8X 60	BOLT M 8X 60 PLATED		4			
28	26106-080702	ツハボルト 8X 70	BOLT M 8X 70 PLATED		2			
29	123912-49031	CW-T(LOク-ラ IN	PIPE, C.W.		1			
30	23000-025000	ホ-スクリップ 25	CLAMP 25		4			
31	119266-49350	サ-センサ-	SENSOR, THERMO.		1			
32	121250-44901	サ-モスイツチ(110° C	SWITCH, THERMO(110° C		1			
33	124465-44950	ハッキン16	GASKET 16		1			
34	129150-49360	PK 10	GASKET 10		1			
35	119642-49050	CW-T CMP(OC-CWP	PIPE ASSY		1			
37	119642-49090	・ コルケ-トチユ-フ	・ TUBE, CORRUGATED		1			
38	123912-44500	ラジエ-タ ASY	RADIATOR ASSY		1			
39	119259-44570	・ ラジエ-タキャップ	・ CAP, RADIATOR		1			
40	121850-44800	リサ-ブ タンク CMP	RESERVIOR		1			
42	121850-44830	・ プレート (ユ-ジョン	・ LABEL, RESERVE TANK		1			
43	121850-44840	・ スイツ ASSY	・ SWITCH ASSY		1			
44	121850-44850	・ キャップ	・ CAP		1			
45	121850-44860	・ ガスクケットハッキン	・ GASKET		1			
46	121850-44870	・ ホ-ス	・ PIPE		1			
47	121850-44880	・ クランプ	・ CLAMP		1			
48	120147-44810	トリツケタイ(サフ タンク	BRACKET		1			
49	123912-44900	オイルク-ラ ASY	OIL COOLER ASSY		1			
50	129150-49100	サンホッ'ユコツク CMP	COCK ASSY, 3-WAY		1			
51	129150-49080	・ ト'レンコツク	・ COCK, DRAIN		1			
55	23000-060000	ホ-スクリップ 60	CLAMP 60		4			

Y00D7140
4TNE106T-TBL

13 FOフンシャポンプ
FUEL INJECTION PUMP



見出 REF NO.	部品番号 PARTS NO.	部品名 Description	数量 Q'ty	FUEL INJECTION PUMP 互換性 I R	備考
1	123912-51020	ネンヨウポンプ CMP FO-P CMP	1		

